#### Index of Records Urban Residential Development Regulations Ordinance 25-057 (ECAF 2025-3126) Hearing Date: Wednesday, December 3, 2025 @ 10:30 a.m. PDS Staff: Hilary McGowan **Council Staff: Ryan Hembree DPA: Alethea Hart** Click on exhibit number to view document # OF RECORD **EXHIBIT EXHIBIT DESCRIPTION** DATE RECEIVED FROM PAGES **TYPE** 2.0 Planning Commission Briefing to Planning 02/05/25 Hilary McGowan, PDS Staff Commission: Proposed Code 2.0003 Staff Report 16 **Amendments URDS** Planning Commission 2.0012 06/09/25 Planning Commission Letter 2 Recommendation 3.1 ECAF and Materials Transmitting Executive initiated **ECAF** 09/29/25 3.1.001 Executive/PDS 2 Ordinance 3.1.002 09/29/25 Introduced Ordinance 37 Ordinance Executive/PDS Councilmember 09/29/25 3.1.003 Introduction Introduction Slip 1 Nate Nehring 3.2 Council Planning Committee Materials Ryan Hembree, 10/21/25 3.2.001 Staff Report Council Staff Report 1 Council Staff Link to Video of Planning 3.2.002 Video 10/21/25 Council Staff 1 Committee Meeting 3.2.002a Agenda 10/21/25 Council Staff Planning Committee Agenda 3 Planning Committee Minutes 3.2.002b Minutes 10/21/25 Council Staff 4 3.3 Correspondence, Comments, Testimony

3.4 Staff Reports and	d Submission	S		
3.5 Public Participat	ion			
3.6 Council Delibera	tions			

	ords	Index of Reco				
			URDS Part 2	Project Name		
		Part 1 - DEPARTMENT OF PLANNING AND DEVELOPMENT SERVICES				
# of Pages	Exhibit Description	Received From	Date	Record Type	Exhibit #	
	Parties of Record	PDS Staff	4/1/2025	Public Comment	1.0001	
	Public Participation Plan	PDS Staff	2/1/2025	Project Administration	1.0002	
	URDS Code Amendment Request Form	PDS Staff	2/1/2025	Project Administration	1.0003	
	Urban Zone Development and Urban Residential Design Standards					
1	(URDS) Staff Report	PDS Staff	2/5/2025	Project Administration	1.0004	
	URDS Design Manual-Code Amendment Request Form Notes	PDS Staff	2/1/2025	Project Administration	1.0005	
	WDFW Comment Letter	Timothy Stapleton Dep	2/27/2025	Public Comment	1.0006	
	Public comments on codes	Jerry Stumbaugh	2/6/2025	Public Comment	1.0007	
	Public Feedback on Snohomish County Code Amendment Projects	•	2/26/2025	Public Comment	1.0008	
	2.27.25 WDFW Comments URDS.pdf	Morgan Kreuger		Public Comment	1.0009	
	Revised Figure 30.23.040(59)		9/9/2025	Project Administration	1.0010	
	Notice of Intent to Adopt Amendment			SEPA Documents	1.0011	
	DNS Affadavit of Publication	· · · · · · · · · · · · · · · · · · ·	, ,	SEPA Documents	1.0012	
1	DNS and Checklist URDS Part 2		3/11/2025	SEPA Documents	1.0013	
	DNS for Herald - URDS Part 2		3/11/2025	SEPA Documents	1.0014	
	DNS Postcard Notice - URDS Part 2		3/11/2025	SEPA Documents	1.0015	
	DNS Postcard Notice PROOF - URDS Part 2		3/11/2025	SEPA Documents	1.0016	
	DNS with Signature Block - URDS Part 2		3/11/2025	SEPA Documents	1.0017	
1	SEPA Checklist-URDS Part 2 - signed		3/11/2025	SEPA Documents	1.0018	
	Submittal Receipt Email 2025-S-8160	WA State Department	3/11/2025	SEPA Documents	1.0019	
	tact.council@snoco.org	s - 425-388-3494 or con	of Part 1 Exhibits	rk of the Council for copies	Contact the Cle	

			Index of Recor	ds	
	Project Name	URDS Part 2			
Part 2 - PLAN	NING COMMISSION				
Exhibit #	Record Type	Date	Received From	Exhibit Description	# of Pag
2.0001	Public Outreach	2/11/2025 Pla	nning Commission	Planning Commission Agenda (Briefing)	
2.0002	Public Outreach	2/27/2025 The	Herald	Affidavit of Agenda publication in The Herald (Briefing)	
2.0003	Legislative Documents	2/10/2025 PD:	S Staff	Staff Report (Briefing)	
2.0004	Public Outreach	2/10/2025 PD:	S Staff	Presentation (Briefing)	
2.0005	Public Outreach	4/1/2025 Pla	nning Commission	Planning Commission Written Meeting Minutes (Briefing)	
2.0006	Public Outreach	2/28/2025 Pla	nning Commission	Planning Commission Recording of Meeting (Briefing)	NA
2.0007	Public Outreach	3/11/2025 Pla	nning Commission	Planning Commission Agenda (Hearing)	
2.0008	Public Outreach	4/17/2025 The	: Herald	Affidavit of Agenda publication in The Herald (Hearing)	
2.0009	Public Outreach	3/18/2025 PD:	SStaff	Presentation (Hearing)	
2.0010	Public Outreach	4/22/2025 Pla	nning Commission	Planning Commission Written Meeting Minutes (Hearing)	
2.0011	Public Outreach	3/26/2025 Pla	nning Commission	Planning Commission Meeting Recording (Hearing)	NA
2.0012	Public Outreach	6/17/2025 Pla	nning Commission	Recommendation Letter to County Council	
ontact the Cle	rk of the Council for copie	s of Part 2 Exhibits - 4	25-388-3494 or contact.c	ouncil@snoco.org	
		-			

URDS Part 2 Index # - File Name: 2.0003.pdf

#### SNOHOMISH COUNTY COUNCIL

**EXHIBIT** # 2.0003

FILE ORD 25-057

Snohomish County

# **Planning and Development Services**

3000 Rockefeller Ave., M/S 604 Everett, WA 98201-4046 (425) 388-3311 www.snoco.org

#### **MEMORANDUM**

TO: Snohomish County Planning Commission

Dave Somers
County Executive

FROM: Hilary McGowan, Senior Planner

SUBJECT: Proposed Code Amendments Relating to Urban Zone Development and Urban

Residential Design Standards (URDS)

DATE: February 5, 2025

#### **INTRODUCTION**

The purpose of this memo is to provide proposed code language to the Planning Commission for a non-project proposal to amend Snohomish County Code (SCC) chapters 30.23, 30.23A, and 30.91S SCC related to Urban Residential Design Standards (URDS). Amendments include removing outdated or inaccurate terminology, adding clarifying language to ensure consistent implementation of the URDS requirements, and removing reference to and the requirement to comply with the obsolete Snohomish County Residential Design Manual.

#### **PROPOSAL BACKGROUND & FINDINGS**

Chapter 30.23A SCC (URDS) provides standards and guidelines that address site and building design features for new urban residential development in urban unincorporated Snohomish County. Chapter 30.23 SCC is comprised of the General Development Standards – Bulk Regulations that contain matrices that define setback, lot coverage, building height, and lot dimension regulations for all zones in unincorporated Snohomish County. Proposed amendments aim to resolve the issues listed below.

(1) Replace the term 'stepback' with 'setback' for LDMR and MR zones. Setback is currently defined in SCC 30.91S.160 to mean "the distance that a building or use must be removed from the lot lines of the property." The term 'stepback' is not defined in code but was introduced in the code in 2009 and used colloquially as synonymous with setback. Both terms are used by PDS for the requirement that an entire building may need to be set back from a lot line, or portions of a building that are a certain height, such as a building's upper stories. Bulk matrices reference notes SCC 30.23.040(59) and (60) and a related figure detail the relationship of setback requirements to building height. SCC 30.23.040(59) and (60) use both terms 'setback' and 'stepback.' Reference notes in SCC 30.23.049 describe setbacks and building height relative to road network elements and SCC 30.23.049(7) uses both terms 'setback' and 'stepback.' Finally, SCC 30.23A.050(3), URDS architectural design elements for single-family attached dwelling, mixed townhouse, and townhouse developments uses the term 'stepback,' which has the same intended meaning as 'setback.' PDS proposes to remove and replace the term 'stepback' with 'setback' in SCC 30.23.040(59) and (60), SCC 30.23.049(7), and SCC 30.23A.050(3) described above for accuracy and clarity. Figure 30.23.040(59) will also be replaced to better illustrate setback requirements. The amended figure adds more labels and example footage to better demonstrate how the code is to be STAFF REPORT: Urban Zone Development and Urban Residential Design Standards (URDS)

February 2025 PAGE 1 OF 16 Index # applies to both buildings and sections of a building, such as a building's upper stories.


- (2) Clarify the applicability of Urban Residential Design Standards in SCC 30.23A.020 to exclude the Mixed Use Corridor Zone. On December 4, 2024, the County Council adopted Amended Ordinance 24-065, adopting regulations for the new Mixed Use Corridor (MUC) Zone in new chapter 30.31G SCC. Amended Ordinance No. 24-065 included an amendment to add a new SCC 30.31G.170 related to urban residential design standards to clarify that the requirements of chapter 30.23A does not apply to development in the MUC zone, however a similar change was not able to be made to the applicability section of chapter 30.23A through Amended Ordinance 24-065. PDS proposes to amend the URDS applicability section in SCC 30.23A.020(1)(c) to clarify that the URDS standards of chapter 30.23A does not apply to residential development or mixed use development in the MUC Zone subject to chapter 30.31G SCC, consistent with the applicability clarification in SCC 30.31G.170.
- (3) Remove the terms 'subdivision', 'detached single family', and 'right of way' in SCC 30.23A.040. SCC 30.23A.040 contains the design standards for detached single-family dwellings and duplexes, however reference to "subdivisions" within the section creates confusion as the section also applies to short subdivisions and single family detached units (SFDUs), which is a development type not created through the subdivision process. SCC 30.23A.040 was added by Amended Ordinance No. 08-101 in 2009. The proposed change would replace the term 'subdivision' with 'development' to fully encompass the kinds of housing that apply to the URDS design standards. Amendments would also replace the term 'detached single family dwellings' with 'single family detached dwellings' for consistent term use throughout chapter 30.23A SCC and title 30 SCC. Finally, the amendments propose to replace the term 'public right of way' with 'public road' to better align terminology regarding public roads, private roads, and road network elements for developments applicable to URDS. 'Right-of-way' is defined in SCC 30.91R.200 as "all property in which the county has any form of ownership or title and which is held for public road purposes, regardless of whether or not any public road exists thereon or whether or not it is used, improved, or maintained for public travel." A public road consists of the improvements within the right-of-way and is a more appropriate term for the design standards chapter 30.23A SCC applicable to developments in relation to the public or private roads serving them.
- (4) Clarify on-site recreation space requirements in SCC Table 30.23A.080(2) to better describe the amount of recreation space that is required based on the total number of dwelling units in the development. This change helps to clarify how many units are counted towards the amount of space required. For example, if a project had 110 units, an interpretation of the current code could be that the first 40 units would require 200 sq. ft. of recreation space, units 41 to 100 would be 150 sq. ft., and the remaining 10 units would be 100 sq. ft. Such an interpretation does not reflect the intended application, nor how this code provision has been historically applied. The proposed code change clarifies that for a development with 110 dwelling units, all 110 dwelling units would be required to have 100 sq. ft. of recreation space required per each dwelling unit.
- (5) Remove reference to the URDS Design Manual. The Snohomish County Residential Design Manual is referenced in SCC 30.23A.030, 30.23A.040, 30.23A.050, 30.23A.060, and 30.91S.455. The Snohomish County Residential Design Manual was added to chapter 30.23A SCC in 2009 via Ordinance No. 08-101, which established urban residential design standards in greater detail. The Snohomish County Residential Design Manual was adopted by the PDS director through rulemaking authority in chapter 30.82 SCC and was originally intended to assist in the application of design standards to project development and review. It provided detailed illustrations to help clarify the intent of the design standards and was meant to facilitate the permit application and review process for applicants and county staff. The definition of the Residential Design Manual states: "[it] shall provide detail and specificity regarding code requirements contained in this title and the EDDS for all urban residential

### **URDS Part 2**

Index # development." This level of detail is now included in code and in EDDS (Snohomish County Engineering Design and Development Standards), and therefore not needed additionally in the Residential Design Manual. Since 2009, the Residential Design Manual has been difficult to maintain and update, and has caused confusion for applicants designing projects to meet URDS requirements in chapter 30.23A SCC.

# PROPOSED CODE AMENDMENTS

SUMMARY OF PROPOSED CODE CHANGES	
Proposed Language	Finding
SCC 30.23.040 Reference notes for SCC Tables 30.23.030 and 30.23.032	This proposed
···	amendment to SCC
(59) Relationship of setback to building height:	30.23.040(59) text and
The minimum setback requirements are dependent on the heights of the building as	figure, and
specified in this column. To meet the setback requirements, buildings over 20 feet in	30.23.040(60) replaces
height must either:	the term stepback with
	setback. Setback is a
(a) Set the entire building back the minimum setback distance; or	defined in 30.71S.160
	and stepback is a term
(b) ((Stepback)) Setback those portions of the building exceeding 20 feet in height to	used in code to roughly
the minimum setback distance, as illustrated in Figure 30.23.040(59)	have the same meaning, but is not defined in
Figure 30.23.040(59). ((Example of relationship)) Relationship of ((building height))	SCC. Figure
Building Height to ((stepback)) Setback	30.23.040(59) title is
<u></u>	proposed to be changed
<u></u>	to remove the outdated
Minimum stepback distance for portion of building	term stepback and to
greater than 20 feet	more accurately
	describe the purpose
Minimum stepback distance for portion of building	and use of the figure.
less than or equal to 20 feet	The figure is also
	proposed to be revised
1	to better demonstrate
Lot line	how setback
	requirements are to be
	used.



"A" represents the minimum setback distance for the portion of a building less than or equal to 20 feet in height.

"B" Represents the minimum setback distance for the portion of a building greater than 20 feet in height.

Note: An applicant may choose to use one for more setbacks above 20 feet in height to satisfy the setback requirements if multiple setback requirements are identified for a zone at building heights above 20 feet (e.g., between 20 and 30 feet in height a 20-foot setback is required as well as above 30 feet in height a 25-foot setback is required).

(60) ((Stepback)) <u>Setback</u> those portions of the building exceeding 45 feet in height from the minimum side and read yard setbacks by one additional foot for each additional two feet of building height.

SCC 30.23.049 Reference notes for SCC Tables 30.23.041 through 30.23.047.

•••

(7) Structures over two stories, other than single-family detached structures, shall increase the setbacks by three feet; provided, that the additional setback shall only be required as an upper floor ((stepback)) setback for portions of residential structures above 20 feet in height in the same manner as SCC 30.23.040(59).

...

amended by replacing the term stepback with setback, which a more broadly used defined

SCC 30.23.049 is proposed to be

term.

### SCC 30.23A.020 Applicability.

- (1) Urban residential design standards of this chapter shall apply to all new residential development located within urban growth areas, excluding the following:
- (a) Mobile homes and manufactured homes within mobile home parks;
- (b) Construction of a ((detached single family)) single-family detached dwelling or duplex structure on a lot created prior to April 21, 2009;
- (c) Residential development or mixed use development subject to chapters <u>30.31G</u>, 30.34A or 30.41G SCC; and
- (d) Any remodel of an existing single family detached, duplex or attached single family structure;
- (e) Any remodel of a townhouse or multiple family structure that has been destroyed where the restoration cost does not exceed 75 percent of the assessed value of record when the destruction occurred; and
- (f) See SCC 30.42E for design standards for new mobile home parks.

SCC 30.23A.020(b) is proposed to change through aligning the language of single-family detached dwellings with the rest of chapter 30.23A. SCC 30.23A.020(c) is proposed to be changed to incorporate excluding the MUC zone, which clarifies that URDS standards of chapter 30.23A does not apply to residential development or mixed use development in the MUC zone.

#### SCC 30.23A.030 Compatibility design standards.

- (3) When compatibility design standards are applicable, residential development shall incorporate at least two of the following design standards:
- (a) Increase the minimum building setback to 20 feet from those lot lines abutting urban zones, and 40 feet for those lot lines abutting non-urban zones marked "yes" in SCC Table 30.23A.030(2);
- (b) Limit maximum building height to 30 feet within 50 feet of those abutting property lines to zones marked "yes" in SCC Table 30.23A.030(2);
- (c) Increase the perimeter landscaping vegetation by at least 50 percent over the amount required in SCC 30.25.017, or if no perimeter landscaping is required, provide a minimum 10-foot wide perimeter Type A landscaped buffer pursuant to the standards in SCC 30.25.017;
- (d) Limit townhouse and multifamily buildings located within 50 feet of abutting property lines to zoned marked "yes" in SCC Table 30.23A.030(2) to a maximum of three dwelling units per building with a minimum separation of 25 feet between buildings;
- (e) Separate single-family detached and duplex dwelling structures by at least 20 feet between buildings located within 50 feet of abutting property lines to zones marked "yes" in SCC Table 30.23A.030(2);
- (f) Incorporate two architectural features, such as those described in SCC 30.23A.040(2) ((or the Snohomish County Residential Design Manual)), to break up blank walls greater than 500 square feet that face properties in zones marked "yes" in SCC Table 30.23A.030(2); or
- (g) Provide a decorative wall or solid and landscaped fence between buildings and adjacent properties located in zones marked "yes" in SCC Table 30.23A.030(2) that:
  - (i) Uses brick or stone;
  - (ii) Is a minimum height of five feet;
- (iii) Incorporates architectural detailing, such as posts, ornamental iron grillwork, or ((other)) similar elements ((prescribed in the Snohomish County Residential Design Manual)); and
- (iv) Incorporates landscaping, openings, and other design elements that break up the continuity of a solid wall or fence at least every 10 feet unless otherwise approved by the director.

SCC 30.23A.040 ((Detached single-family)) Single family detached dwelling and duplex design standards.

SCC 30.23A.040 is proposed to be amended by clarifying

remove the Urban Design Manual from the URDS chapter supports clarity in interpreting the code. The Urban **Desing Manual is** difficult for staff to maintain and can cause confusion for standards that conflict with code.

This proposed change to

STAFF REPORT: Urban Zone Development and Urban Residential Design Standards (URDS) February 2025

Ind ((Detached single family)) Single family detached dwellings and duplex structures shall comply with the following requirements:

- (1) Buildings shall incorporate at least two of the following design elements:
- (a) A roof with a shape that is visually distinct from at least 75 percent of the other roofs in the ((subdivision)) development based on variations in room forms and pitch, ridge line height, overhangs, projections, and extended eaves.
- (b) A setback from the front lot line that differs by five feet or more from each of the adjacent buildings.
- (c) A porch of at least 60 square feet at the front entry of the building that differs from at least 75 percent of the other porches in the ((subdivision)) development by 10 percent or more in its dimensions or by its location relative to the garage.
- (d) A primary entrance facing and visible from a public ((right of way,)) or private road, or courtyard that opens up to a public ((right of way)) or private road.
- (e) Building form and scale that is significantly different from at least 75 percent of the other buildings in the ((subdivision)) development, where rambler, daylight basement, split-level, tri-level, two-story, or three-story are significantly different forms. A difference in building height or width of 20 percent or more is also significantly different.
- (2) Buildings shall be visually distinct from at least 75 percent of the other buildings in the ((subdivision)) development in at least five of the following ways:
- (a) Window size and type, such as single hung, double hung, slider, or awning.
- (b) Window grids or mullions and trim design
- (c) Bay or bow window with a minimum projection of 12 inches.
- (d) Siding texture, appearance, or color.
- (e) Stone, brick, or other decorative siding material that wraps around the side of the building at a height of at least two feet, and for a distance of at least four feet (minimum of two feet on each side), matching elements of the facade.
- (f) Roofing material and color.
- (g) Roof forms, such as hip, gambrel, mansard, gable, or dormers.
- (h) Primary roof pitch.
- (i) Front door location, material, pattern, or color.
- (j) Use of cantilevers, dormers, or other project elements that give the face a three-dimensional quality.

the terminology used to describe single family detached dwellings from detached single family in order to be more consistent with terminology used in the rest of the chapter and title 30.

The code is also proposed to be changed by removing references to subdivisions, as single family detached dwellings apply to more than subdivisions. There have been current and historical issues with restricting the term subdivision as there are different types of housing that fall under this category.

Right of way is proposed to be removed as public/private roads are comprehensive enough in their description.
Removing the term supports better code clarification.


SCC 30.23A.040(5) is proposed to be removed as the Residential Design Manual no longer would exist in code.

Additionally, there are minor grammatical changes proposed that include adding commas and rephrasing wording.

Index) #arial of am side wall design for houses located on a corner lot.

- (I) Variations in porch design, such as columns, details, or roof.
- (m) Size and location of a stoop of at least 30 square feet at the front entry of the building.
- (n) Design of a stoop of at least 30 square feet at the front entry of the building, considering elements such as columns, details, or roof.
- (o) The front wall forms and angle of at least 30 degrees to a public or private road.
- (p) Upstairs or "Juliet" balcony, or other similar architectural features.
- (3) At least two of the following design features shall be incorporated into any attached or detached garage facing a ((public right of way, road, or drive aisle)) road network element, unless the garage is located at least 20 feet behind the fountain wall or the front of the house with no more than 50 percent of the front of the garage visible from the street.
- (a) Angle the garage by at least 45 degrees to the ((public right of way, private road or drive aisle)) road network element if it is attached or by 30 to 60 degrees to the ((public right of way, private road or drive aisle)) road network element if it is detached (see SCC Figure 30.23A.040(3)).
- (b) If there is only one garage door, limit the width of the garage door to ((ten)) 10 feet.
- (c) If there is more than one garage door, limit the width of each door to no more than ((ten)) 10 feet and provide at least a two-foot separation between doors.
- (d) Limit the size of the automobile garage door to 25 percent or less of the area of the facade on which the garage door is located, including the area up upper floors but not including the area of the roof.
- (e) Provide variation in the appearance of the garage ((door(s))) doors through trim, windows, ((and/or)) or relief.
- (f) Cantilever the top story above the garage by at least 18 inches.
- (g) Provide architectural treatment, such as a trellis, subroof, or awning projecting one foot or more beyond garage de-emphasize garage doors.
- (h) Locate the automobile garage door at least five feet back from the foundation wall of the front of the house, not including uncovered porches, ((and)) stoops, and similar projections.

Figure 30.23A.040(3) ((-))
Angled Garage



- (4) The director may implement the requirements of ((SCC 30.23A.040(1), (2), and (3))) subsections (1) through (3) of this section through a self certification program, provided that an applicant is ineligible for self-certification if that applicant has been found non-compliant with the requirements of those subsections on any project within the previous 12 months.
- (((5) The architectural design elements in SCC 30.23A.040(1), (2), and (3) shall be implemented pursuant to the Snohomish County Residential Design Manual to the extent that they are covered in the Snohomish County Residential Design Manual, provided that in the event of a conflict between the Snohomish County Residential Design Manual and Title 30 SCC, the code shall take precedence)).

# 30.23A.050 Single-family attached dwelling, mixed townhouse, and townhouse development design standards.

...

- (3) Architectural design elements. Each single-family attached dwelling structure, townhouse structure, and residential dwelling structure in a mixed townhouse development shall incorporate variation to any facade of a building that faces a road network element or other public space, whether publicly or privately owned (such as a shared common space or internal pedestrian facility providing access to other dwelling units), by using at least three of the following elements:
- (a) Changes in the roofline at intervals not greater than 40 feet in continuous length, such as variations in roof pitch, overhangs, projections, and extended eaves;
- (b) Distinctive window patterns that are not repeated within groupings of up to four dwelling units;
- (c) Variations in the setback of the front facade of the building by at least five feet between adjoining dwelling units;
- (d) ((Stepbacks)) Setbacks on the facade of at least two feet in depth and four feet in width at intervals of not more than 30 feet:
- (e) Diminishing upper floors (gross floor area of upper story is smaller than the gross floor area of the lower story);
- (f) Balconies, bays, or changes in the wall plane of the front facade of the building;

PDS proposes to remove references to the URDS Snohomish County Residential Design Manual in this section, as the design manual is burdensome and difficult to maintain and may cause confusion. Stepbacks is replaced with setbacks consistent with changes to other sections.

- (g) Garage door entrance(s) for automobiles located at the side or rear of the building; or
- (h) Other architectural elements that the director determines accomplish the objective of visually dividing the structure into smaller identifiable sections.
- (((4) The architectural design elements in this subsection (3) of this section shall be implemented pursuant to the Snohomish County Residential Design Manual.))
- ((<del>(5)</del>)) (4) Reduced setbacks and required easements. Single-family attached dwelling, mixed townhouse, and townhouse developments may qualify for reduced setbacks and require special easements in accordance with the following:
- (a) The director may reduce the underlying zoning side and rear lot line setbacks to zero for townhouse structures, dwellings in a mixed townhouse development, and single-family attached dwellings to allow for zero lot line development; provided, that the remaining underlying zoning setbacks meet the requirements of the zone.
- (b) Single-family attached dwellings, townhouse structures, and residential dwelling structures in mixed townhouse developments built as zero lot line development shall provide a five-foot wide building maintenance easement for walls, eaves, chimneys, and other architectural features that rest directly on the lot line. The maintenance easement shall be included in the covenants, conditions, and restrictions of the adjoining lots, and may be recorded with the covenants, conditions, and restrictions or in a separate document approved by the director.
- ((<del>{6}</del>)) <u>(5)</u> Restrictive covenants. The directory may require an applicant to grant and records covenants, access easements, and joint use and maintenance agreements for a townhouse or mixed townhouse development. When required, covenants, access easements, and joint use and maintenance agreements shall be recoded with the county auditor prior to final inspection of the first unit and identify the rights and responsibilities of the property owner(s) and/or homeowners' association. These rights and responsibilities may describe the use and maintenance of: common garage, parking areas, and vehicle access areas; pedestrian facilities; on-site recreation areas; landscaping; underground utilities; common open space; exterior building facades and roofs; and other similar features.
- ((<del>(7)</del>)) (<u>6)</u> Specific design standards for townhouse and mixed townhouse developments. Townhouse and mixed townhouse developments shall be subject to additional design standards contained in SCC Table 30.23A.050(1), SCC Table 30.23A.050(2), and SCC Table 30.23A.050(3).

### 30.23A.060 Multifamily design standards.

Multifamily dwellings shall comply with the following requirements:

- (1) Site layout and pedestrian circulation.
- (a) Multifamily development shall have pedestrian facilities pursuant to SCC 30.24.080.

PDS proposes to remove references to the URDS Snohomish County Residential Design Manual in this section to be consistent with other proposed amendments.

- Ind(x) #whele a steen as more than one multifamily building, the buildings shall be arranged in a cohesive manner incorporating at least one of the following:
  - (i) Configure the buildings around the courtyard;
  - (ii) Limit the average number of dwellings per building to seven and cluster these into groups of not more than four buildings with each group of buildings having designed common space and internal circulation and parking separated from other groups of buildings; or
  - (iii) Buildings with 10 or more dwellings include an internal building courtyard or create several smaller areas of common space that are located within 25 feet of a building entry.
  - (c) Pedestrian facilities should be visible from buildings or parking lots, and shall be designed to avoid creating "dead ends" or isolated areas.
  - (((d) The design standards of this section shall be implemented pursuant to the Snohomish County Residential Design Manual.))
  - (2) Location of Parking.
  - (a) Surface parking spaces shall be located to the side or rear of buildings.
  - (b) Structured parking facilities shall be located underneath residential dwellings or to the side of the building.
  - (c) Large parking areas shall be divided into small groupings of not more than 15 parking spaces in a row. A landscaped island of at least 72 square feet shall be utilized to divide groups of parking spaces.
  - (d) Parking may be located in a rear or side setback area when vehicle access is from an alley abutting the rear or side lot line.
  - (e) Parking structures located entirely below the finished grade may have parking located within a front or side setback area.
  - (3) Exterior lighting.
  - (a) Lighting shall illuminate building entries and surfaces intended for pedestrians and vehicles.
  - (b) Exterior lighting shall be used along pedestrian facilities to identify and distinguish the pedestrian facilities from automobile circulation and parking areas.
  - (c) All building lighting for security or aesthetics will be full cut-off or a shielded type, not allowing any upward distribution of light.
  - (4) Buildings shall be oriented pursuant to SCC 30.23A.070.
  - (5) Architectural design elements.

- (a) When a multifamily building has shared entryways, the building entrances shall incorporate a canopy, awning or other architectural element that provides pedestrians protection from the weather.
- (b) Each multifamily building shall incorporate variation to any facade of a building that faces a public or private ((right of way)) road network element by incorporating at least three of the following elements:
- (i) Incorporates changes in the roofline at intervals not greater than 40 continuous feet in length, such as variations in roof pitch, dormers, overhangs, projections and extended eaves;
- (ii) Provide distinctive window patterns that are not repeated within groupings of up to six dwelling units;
- (iii) Include balconies, bay windows, cornices, covered porches or other changes in the facade of the building;
- (iv) Set back balconies and other architectural elements on the upper floors of multi-story buildings;
- (v) Incorporate diminishing upper floors (gross floor area of upper story is smaller than the gross floor area of the lower story);
- (vi) Provide variations in the setback of the building from the front lot line by at least five feet at horizontal intervals of 40 feet or less; or
- (vii) Provide other architectural elements that the director determines accomplish the objective of visually dividing the structure into smaller identifiable sections.
- (((c) The architectural elements in this section shall be implemented pursuant to the Snohomish County Residential Design Manual.))

### 30.23A.080 On-site recreation space

- (1) On-site recreation space shall be required for residential development that is subject to the provisions of this chapter and containing seven or more dwellings, except this section shall not apply to projects submitted under chapter 30.42B SCC.
- (2) On-site recreation space shall be provided in accordance with SCC Table 30.23A.080(2):

Table 30.23A.080(2) ((On-site recreation space requirements)) On-site Recreation Space Requirements

Table 30.23A.080(2) is proposed to be amended to better describe the amount of recreation space is required by dwelling unit. This change helps to clarify how many units are counted towards the amount of space required.

There are additional grammatical changes to this section to aid in readability.

((Number of Dwelling Units)) Total number of dwelling units within the development

Amount of on-site recreation open space required per each dwelling <u>unit</u>

STAFF REPORT: Urban Zone Development and Urban Residential Design Standards (URDS) February 2025

PAGE 11 OF 16

ηþ	ex(#nitily Neoneo awelling units	200 sq ft
	((Units)) 41 to 100 dwelling units	150 sq ft
	((Units)) Over 100 dwelling units	100 sq ft

- (3) The requirements in SCC Table 30.23A.080(2) may be reduced by up to 50 percent for residential development that is located within one-quarter mile walking distance of a public park or public school containing a playground or outdoor recreational facilities. The director shall determine the amount of reduction based on the following:
- (a) The availability of safe pedestrian facilities connecting to the development to the ((park/school)) park or school;
- (b) The ability of the ((park/school)) park or school facilities to accommodate additional usage by residents of the development; and
- (c) The number of parks and school facilities located within one-quarter mile distance.
- (4) On-site recreation open space shall be designed as follows:
- (a) On-site recreation open space shall be located in a separate tract for subdivisions and short subdivisions from the residential dwellings and shall have an undivided ownership interest by owners of the development;
- (b) At least 40 percent of the total required on-site recreation open space shall be consolidated in one location within the development;
- (c) At least 75 percent of the total required on-site recreation open space shall be located outside of critical areas other than buffers identified in chapter 30.62A SCC;
- (d) No on-site recreation open space ((tract)) shall contain less than 700 square feet in area;
- (e) on-site recreation open space shall be developed for active and passive uses. At least 50 percent of the on-site recreation open space shall be designed and improved for one or more active uses. When an area of on-site recreation open space is designed and improved for active uses other than improved pedestrian or bicycle paths with hard surfaces, the average width of the area shall be at least equal to half of the average length of the area. Active uses include, but are not limited to:
  - (i) Playgrounds developed with children's play equipment;
  - (ii) Improved pedestrian or bicycle paths with hard surfaces;
  - (iii) Sports fields (such as soccer or softball fields), with associated improvements;
- (iv) Indoor or outdoor sports courts (such as volleyball, basketball or tennis courts), swimming pools, and similar facilities;
  - (v) Picnic areas with permanent tables, benches, or gazebos;

Index #vi)File Nameity crubhouse and meeting facilities;

- (vii) Community gardens for use by the residents;
- (viii) Plazas with lighting, artwork, and sitting space for pedestrians at four or more spaces for every required 100 square feet of area; and
  - (ix) Other similar uses approved by the director;
- (f) Passive uses include critical areas that cannot be developed, nature interpretive areas, bird watching facilities, unimproved trails, and similar uses approved by the director;
- (g) The following drainage facilities may be counted as <u>passive</u> on-site ((<del>passive</del>)) recreation space;
  - (i) Unfenced detention, retention, and wet ponds;
  - (ii) Stormwater treatment wetlands;
- (iii) Stormwater infiltration trenches and bioswales that serve more than one dwelling unit; and
  - (iv) Vegetated areas located above underground detention facilities; ((and))
- (h) Access for pedestrians shall be provided from all ((dwellings)) dwelling units within the development to the on-site recreation space through trails, pedestrian facilities, ((sidewalks, pathways)) and other similar means of access pursuant to SCC 30.24.080; and
- (i) On-site recreation space shall not include privately owned yards.

#### 30.91S.160 Setback.

"Setback" means the distance that a building, a section of a building such as upper stories, or use must be removed from the lot lines of the property.

This proposed change to setbacks clarifies setbacks to reflect the proposed new diagram in SCC 30.23.040 and the interpretation of setback.

#### ((30.91S.455 Snohomish County Residential Design Manual.

"Snohomish County Residential Design Manual" means the residential manual adopted by the director by rule under chapter 30.82 SCC. The residential design manual shall provide detail and specificity regarding code requirements contained in this title and the EDDS for all urban residential development.))

PDS proposes to remove references to the URDS Snohomish County Residential Design Manual in this section, as the design manual is burdensome and difficult to maintain and may cause confusion.

#### **ANALYSIS**

The following analysis provides a summary of the proposed code amendments' compliance with state law, regional, countywide planning policies, and county comprehensive plan policies.

#### **Compliance with State Law**

The Growth Management Act (GMA) planning goals, contained in RCW 36.70A.020, guide the development of local comprehensive plans and development regulations. The following planning goals apply to the proposed code changes:

GMA Goal 7 – Permits. Applications for both state and local permits should be processed in a timely and fair matter to ensure predictability.

<u>Analysis:</u> The proposed amendments would support the permitting goal, as they support clarifying code language which ensures predictable and fair permitting review.

GMA Goal 1 – Urban growth. Encourage development in urban areas where adequate public facilities and services exist or can be provided in an efficient manner.

<u>Analysis:</u> The proposed code changes to the URDS chapter and removing the URDS Design Manual references supports the GMA Goal 1 as it reduces confusion for developing housing in urban areas and allows for more development.

#### **Compliance with the Multi-County Planning Policies**

The proposed amendments are consistent with the following multicounty planning policies (MPP) from the Puget Sound Regional Council's VISION 2050:

MPP-H-10 – Encourage jurisdictions to review and streamline development standards and regulations to advance their public benefit, provide flexibility, and minimize additional costs to housing.

<u>Analysis</u>: The proposed changes would clarify code to be more understandable. Replacing stepback with setback improves code consistency, as the terms are used synonymously, although stepback is not defined in code. Removing the terms 'subdivision', 'detached single family', and 'right of way' in SCC 30.23A.040 removes potential confusion about the applicability of the section to projects, as the terms do not comprehensively describe the kinds of housing that apply to URDS. Amending Table 30.23A.080(2) to describe the amount of recreation space that is required per dwelling unit additionally helps to make SCC more understandable and consistent.

MPP-DP-47 – Streamline development standards and regulations for residential and commercial development and public projects, especially in centers and high-capacity transit station areas, to provide flexibility and to accommodate a broader range of project types consistent with the regional vision.

Index # AFIGN No. 1796 Possed Changes would support urban development through streamlining the permitting review process for urban residential development. Additionally, removing references to the URDS Design Manual helps to reduce confusion between the outdated designs presented in the manual and the design standards in code.

# **Compliance with the Countywide Planning Policies**

The proposed amendments are consistent with the following countywide planning policies (CPP):

HO-11 – The county and cities should consider the economic implications of proposed building and land use regulations so that the broader public benefit they serve is achieved with the least additional cost to housing.

<u>Analysis</u>: The proposed changes would streamline the permitting process through reducing confusion in code language and eliminating the URDS Design Manual which could encourage increased housing development.

DP -13 — The County and cities should integrate the desirable qualities of existing residential neighborhoods when planning for urban centers and mixed-use developments. Jurisdictions should adopt design guidelines and standards for urban centers to provide for compact, efficient site design that integrates building design with multimodal transportation facilities and publicly accessible open space.

<u>Analysis</u>: Through eliminating the URDS Design Manual in the proposed code, the URDS chapter more consistently and accurately describes the design guidelines for urban development.

### **Compliance with the Snohomish County Comprehensive Plan**

The proposed amendments would be consistent with and help implement the Snohomish County Growth Management Act Comprehensive Plan (GMACP). The following policy applies to the code amendments as proposed in this report.

Objective LU 4.A – Improve the quality of residential, commercial, and industrial development through comprehensive design standards and a design review process.

<u>Analysis:</u> The proposed code amendment to remove reference to the URDS Design Manual support Objective LU 4.A through improving the permitting design review process and making the design standards more consistent.

Policy ED 2.A.1 – Snohomish County shall work to ensure that the Snohomish County Code is understandable, accessible, and user friendly document.

Policy ED 2.A.3 – To ensure timeliness, responsiveness, and increased efficiency, the county shall maintain a program of continuous review of the permitting process to eliminate unnecessary procedures that do not respond to legal requirements for public review and resident input.

<u>Analysis:</u> The proposed code amendments streamline the permitting process through clarifying code, better defining standards, and reducing additional steps for design review.

#### **Environmental Review**

### **URDS Part 2**

Index # state New Completed a Sept A checklist for this proposed code amendment and will be issuing a Determination of Non-significance on January X, 2025. The 14-day public comment period will conclude prior to the Planning Commission briefing on February 25, 2025.

#### **Notification of State Agencies**

Pursuant to RCW 36.70A.106, a notice of intent to adopt the proposed regulations and standards will be transmitted to the Washington State Department of Commerce in February 2025.

#### **Staff Recommendation:**

Staff recommends approval of the proposed code amendments and findings contained in this staff report.

# **Action Requested**

The Planning Commission is requested to hold a public hearing, consider the proposed code amendments, and provide a recommendation to the County Council. The Planning Commission can recommend approval of the amendments with supporting findings of fact as proposed or modified, deny the proposal with findings, or amend the proposal with appropriate findings.

cc: Mike McCrary, PDS Director
David Killingstad, PDS Manager
Michael Dobesh, PDS Manager

URDS Part 2 Index # - File Name: 2.0012.pdf



SNOHOMISH COUNTY COUNCIL

EXHIBIT # 2.0012

FILE ORD 25-057

#### SNOHOMISH COUNTY PLANNING COMMISSION

June 9, 2025

Snohomish County Council County Administration Building 3000 Rockefeller Avenue, M/S 609 Everett, WA 98201-4046

SUBJECT: Planning Commission Recommendation Relating to Proposed Urban Residential Design Standards

(URDS) Part Two

Dear Snohomish County Council:

On behalf of the Snohomish County Planning Commission, I am forwarding our recommendation to amend URDS regulations. The Planning Commission had a briefing on this topic on February 25, 2025 and conducted a public hearing on March 25, 2025.

The proposed code amendments would amend Snohomish County Code (SCC) chapters 30.23, 30.23A, and 30.91S SCC related to URDS. Amendments include removing outdated or inaccurate terminology, adding clarifying language to ensure consistent implementation of the URDS requirements, and removing reference to and the requirement to comply with the obsolete Snohomish County Residential Design Manual.

There was one (1) written comment received by the Planning Commission from the public prior to the March 25<sup>th</sup> public hearing, and zero (0) members of the public commented at the public hearing.

#### PLANNING COMMISSION RECOMMENDATION

At the March 25, 2025 Planning Commission meeting, Commissioner Campbell made a motion, seconded by Commissioner Sheldon, recommending APPROVAL of the proposed URDS Part Two amendments contained in the staff report.

#### Vote (Motion):

7 in favor (Ash, Bush, Busteed, Campbell, Chandler, Larsen, Sheldon) 0 opposed 0 abstentions

#### Amendment passed

This recommendation was made following the close of the public hearing and after due consideration of information presented and is based on the findings and conclusions presented in the February 5, 2025 staff report, with which the Commission concurred.

Respectfully submitted,

Robert W Larsen

Robert W Larsen (Jun 12, 2025 18-41 PDT)

SNOHOMISH COUNTY PLANNING COMMISSION

Robert Larsen, Chairman

URDS Part 2 Planning Commission Recommendation Letter Index ##de Almendments to Chapter 30.23, 30.23A, and 30.91S SCC June 9, 2025

cc: Dave Somers, Snohomish County Executive
Mike McCrary, Director, Planning and Development Services
Darren Groth, Long Range Planning Manager, Planning and Development Services

SNOHOMISH COUNTY COUNCIL		
EXHIBIT #	3.1.001	
FILE	ORD 25-057	

# **Executive/Council Action Form (ECAF)**

IT	Έľ	VI '	Τľ	TL	E:

..Title

Ordinance 25-057, relating to Growth Management; revising regulations concerning Urban Residential Development; amending Chapters 30.23, 30.23a, and 30.91s of the Snohomish County Code

..bodv

**DEPARTMENT:** Planning and Development Services

**ORIGINATOR:** Hilary McGowan, Senior Planner, Planning and Development Services

**EXECUTIVE RECOMMENDATION:** Approved by Ken Klein 9/29/25

**PURPOSE:** To amend Snohomish County Code (SCC) chapters 30.23, 30.23A, and 30.91S SCC related to Urban Residential Design Standards (URDS). Amendments include removing outdated or inaccurate terminology, adding clarifying language to ensure consistent implementation of the URDS requirements, and removing reference to and the requirement to comply with the obsolete Snohomish County Residential Design Manual.

**BACKGROUND:** Chapter 30.23A SCC (URDS) provides standards and guidelines that address site and building design features for new urban residential development in urban unincorporated Snohomish County. Chapter 30.23 SCC is comprised of the General Development Standards – Bulk Regulations that contain matrices that define setback, lot coverage, building height, and lot dimension regulations for all zones in unincorporated Snohomish County.

FISCAL IMPLICATIONS:			
<b>EXPEND</b> : FUND, AGY, ORG, ACTY, OBJ, AU	CURRENT YR	2ND YR	1ST 6 YRS
TOTAL			
REVENUE: FUND, AGY, ORG, REV, SOURCE	CURRENT YR	2ND YR	1ST 6 YRS
TOTAL			
DEPARTMENT FISCAL IMPACT NOTES:	Click or tap here to	enter text	
	oner or tap horo to	011101 107111	
CONTRACT INFORMATION: ORIGINAL CONTRACT#		AMOUNT	

Contract Period			
ORIGINAL	START	END	
AMENDMENT	START	END	
OTHER DEPARTM	FNTAI REVIEW	COMMENTS: Reviewed/approved by Finance – Nathan	

**OTHER DEPARTMENTAL REVIEW/COMMENTS:** Reviewed/approved by Finance – Nathan Kennedy 9/29/25. AATF: Alethea Hart 9/9/25

EXHIBIT #_	3.1.002
FILE	ORD 25-057

1	Adopted:
2	Effective:
3	SNOHOMISH COUNTY COUNCIL
4	Snohomish County, Washington
5	
6	ORDINANCE NO. 25-057
7	
8	RELATING TO GROWTH MANAGEMENT; REVISING REGULATIONS CONCERNING URBAN RESIDENTIAL
9	DEVELOPMENT; AMENDING CHAPTERS 30.23, 30.23A, AND 30.91S OF THE SNOHOMISH COUNTY CODE
10	
11	WHEREAS, Urban Residential Design Standards (URDS) were adopted into chapter 30.23A of the
12 13	Snohomish County Code (SCC) in 2009 through Amended Ordinance No. 08-101; and
14	WHEREAS, SCC 30.91S.160 – Setback was adopted and defined in 2002 through Amended
15	Ordinance 02-064; and
16	
17	WHEREAS, while SCC 30.91S.160 defines the term "setback," the term is often used
18	interchangeably with "stepback," which was introduced in 2009 through Amended Ordinance 08-101
19	but is not defined in title 30 SCC; and
20	
21	WHEREAS, amendments contained in this ordinance clarify terminology and standards
22	concerning urban residential development as described herein; and
23	
24	WHEREAS, on February 25, 2025, the Snohomish County Planning Commission (the "Planning
25	Commission") was briefed by Planning and Development Services (PDS) staff about the proposed code
26	amendments contained in this ordinance; and
27	
28	WHEREAS, the Planning Commission held a public hearing on March 25, 2025, to receive public
29	testimony on these proposed code amendments; and
30	MANAGERS AND A STORY OF THE STO
31	WHEREAS, at the conclusion of its hearing, the Planning Commission deliberated and voted to
32	recommend approval of the URDS code amendments as shown in its approval letter dated June 9, 2025;
33	and
34	WUIEDEAS on 2025 the Spekemick County Council (the "County Council") hold a
35 36	WHEREAS, on, 2025, the Snohomish County Council (the "County Council") held a public hearing after proper notice, and considered public comment and the entire record related to the
30 37	proposed amendments;
38	proposed amendments,
39	NOW, THEREFORE, BE IT ORDAINED:
40	WOW, THERE ONE, DE 11 ONDAINED.
41	Section 1. The County Council makes the following findings:
42	

1 2 3	A.	The County Council adopts and incorporates the foregoing recitals as findings as if set forth fully herein.
4 5 6 7 8 9 10 11 12 13	B.	This ordinance amends SCC chapters 30.23, 30.23A, and 30.91S. These amendments will remove and replace terminology that is inconsistent with the rest of SCC 30.23 and SCC 30.23A and clarify requirements for better consistency for review. This ordinance will also clarify URDS standards based on recent changes to development in the Mixed Use Corridor (MUC) zone. Onsite recreation requirements in SCC Table 30.23A.080(2) will be amended to better describe the amount of recreation space that is required based on the total number of dwelling units in a new development. This ordinance will remove references to the Snohomish County Residential Design Manual, as it is no longer needed to provide information for URDS development. Finally, this ordinance will implement housekeeping changes within these chapters of SCC.
14	C.	In developing the proposed amendments, the County considered the following GMA goals:
15 16 17 18		GMA Goal $1$ – Urban Growth. Encourage development in urban areas where adequate public facilities and services exist or can be provided in an efficient manner.
19		The proposed amendments to the URDS chapter and the removal of references to the URDS Design
20		Manual support GMA Goal 1, as this amendment reduces confusion for developing housing in urban
21 22		areas and allows for increased development.
23		GMA Goal 7 – Permits. Applications for both state and local government permits should be
24		processed in a timely and fair manner to ensure predictability.
25		
<ul><li>26</li><li>27</li><li>28</li></ul>		The proposed amendments support GMA Goal 7 by clarifying code language which ensures predictable and fair permitting review.
29 30	D.	The amendments are consistent with the following multicounty planning policies (MPPs) from Puget Sound Regional Council VISION 2050:
31 32 33 34 35		MPP-H-10 – Encourage jurisdictions to review and streamline development standards and regulations to advance their public benefit, provide flexibility, and minimize additional costs to housing.
36		Proposed amendments clarify the intent of the URDS chapter by using accurate and consistent
37 38		terminology and make the code more understandable.
39 40 41 42 43		MPP-DP-47 – Streamline development standards and regulations for residential and commercial development and public projects, especially in centers and high-capacity transit station areas, to provide flexibility and to accommodate a broader range of project types consistent with the regional vision.

1 2 3 4		Proposed amendments support urban development through streamlining the permitting review process for urban residential development. Additionally, removing references to the URDS Design Manual helps to reduce confusion between the outdated designs presented in the manual and the design standards in code.
5		
6 7	E.	The amendments are consistent with the following countywide planning policies (CPPs):
8 9 10 11		CPP-HO-11 – The county and cities should consider the economic implications of proposed building and land use regulations so that the broader public benefit they serve is achieved with the least additional cost to housing.
12 13 14 15		The proposed amendments will reduce confusion in existing code language and eliminate the use of the URDS Design Manual to help streamline the permitting process and encourage increased housing development.
16 17 18 19 20 21		CPP-DP-13 — The County and cities should integrate the desirable qualities of existing residential neighborhoods when planning for urban centers and mixed-use developments. Jurisdictions should adopt design guidelines and standards for urban centers to provide for compact, efficient site design that integrates building design with multimodal transportation facilities and publicly accessible open spaces.
22 23		Through eliminating the URDS Design Manual, these amendments support guidelines for urban development that are more consistent and accurate.
<ul><li>24</li><li>25</li><li>26</li></ul>	F.	The amendments are consistent with and help implement a number of policies contained within the County's GMACP. The following policies apply to the code amendments in this ordinance:
<ul><li>27</li><li>28</li><li>29</li><li>30</li></ul>		Objective LU 4.A – Improve the quality of residential, commercial, and industrial development through comprehensive design standards and a design review process.
31 32 33		The amendments to the code to remove references to the URDS Design Manual support Objective LU 4.A through improving the permitting design review process and making the design standards more consistent.
<ul><li>34</li><li>35</li><li>36</li><li>37</li></ul>		Policy ED 2.A.1 – Snohomish County shall work to ensure that the Snohomish County code is understandable, accessible, and user friendly.
38 39 40		Policy ED 2.A.3 – To ensure timeliness, responsiveness, and increased efficiency, the county shall maintain a program of continuous review of the permitting process to eliminate unnecessary procedures that do not respond to legal requirements for public review and resident input.
41 42 43		Objective HO 3.A – Encourage land use practices, development standards, and building permit requirements that reduce housing production costs.

3

5

6 7 8

9 10

11 12

13 14

19 20 21

22 23 24

25 26

27 28 29

30 31 32

34 35 36

37

38

33

39 40 41

42

43

ORDINANCE NO. 25-057

Policy HO 3.A.2 – Development standards and building permit requirements shall be reviewed on a continual basis to ensure clarity and consistency while providing for a timely, fair, and predictable application processing outcome.

The changes in this ordinance streamline the permitting process through clarifying code, better defining standards, and reducing additional steps for review. The amendments to code additionally encourage improving development standards that can reduce housing production costs. The development standards listed in this ordinance reflect reviewed permit requirements that will improve the process to be more timely, fair, and predictable.

- G. This ordinance is consistent with the record.
  - 1. This ordinance amends reference notes in SCC 30.23.040(59) and (60) and reference note in SCC 30.23.049(7), and SCC 30.23A.050(3), to replace the term "stepback" with the term "setback" applicable to residential buildings in Low Density Multiple Residential (LDMR) and Multiple Residential (MR) Zones and Urban Residential Design Standards. The term "stepback" is not defined in code, however both terms have been used by PDS for the requirement that an entire building may need to be setback from a lot line or portions of a building above a certain height, such as a building's upper stories, need to be setback a minimum distance from a lot line. Figure 30.23.040(59) is replaced to better illustrate setback requirements for portions of a building above a certain height in support of replacing the limited use of the term "stepback" in code with "setback." The definition of setback in SCC 30.91S.160 will be amended to clarify that the term applies to both buildings and sections of a building, such as a building's upper stories.
  - 2. This ordinance amends the URDS applicability section in SCC 30.23A.020(1)(c) to clarify that the URDS standards in chapter 30.23A SCC do not apply to residential development or mixed used development in the Mixed Use Corridor (MUC) Zone under chapter 30.31G SCC. On December 4, 2024, the County Council adopted Amended Ordinance No. 24-065 adopting regulations for the new MUC Zone in a new chapter 30.31G SCC. The new chapter includes SCC 30.31G.170 to clarify that the URDS requirements of chapter 30.23A SCC do not apply to development in the MUC zone. This amendment makes a similar change to the applicability section of chapter 30.23A SCC consistent with SCC 30.31G.170.
  - 3. This ordinance replaces outdated terms to ensure the URDS requirements better align with the full scope of development subject to chapter 30.23A SCC. The ordinance replaces the term "subdivision" with "development" in SCC 30.23A.040 to fully encompass the kinds of housing that apply to URDS. Reference to subdivisions in current code creates confusion because the section is intended also to apply to short subdivisions and SFDUs, which are development types not created through the subdivision process. Similarly, this ordinance replaces the term "right of way" with "public road" or "road network element" in SCC 30.23A.040 and SCC 30.23A.060 to accurately describe the type of vehicular access applicable to developments subject to URDS.

4. The ordinance clarifies on-site recreation space requirements in SCC Table 30.23A.080(2) to better describe the amount of recreation space that is required based on the total number of dwelling units in the development. This change assists in clarifying how many units are counted towards the amount of on-site recreation space required.

4 5 6

7

8

9

10

11

12

13

14

15 16

17

18 19

20

1 2

3

5. This ordinance removes references to the Snohomish County Residential Design Manual ("Design Manual") in SCC 30.23A.030, 30.23A.040, 30.23A.050, and 30.23A.060. The Design Manual established urban residential design standards in detail and was originally intended to assist the application of design standards to project development and review. It provided detailed illustrations to help clarify the intent of the design standards and was meant to facilitate the permit application and review process for applicants and county staff. SCC 30.91S.455 defines the Snohomish County Residential Design Manual as: "[T]he residential design manual adopted by the director by rule under chapter 30.82 SCC. The residential design manual shall provide detail and specificity regarding code requirements contained in this title and the EDDS for all urban residential development." The level of detail described in the definition is now included in code (chapter 30.23A SCC) and in EDDS and does not need to be duplicated in the Design Manual. Since its adoption in 2009, the Design Manual has been difficult to maintain and update and has caused confusion for applicants designing projects to meet URDS requirements in chapter 30.23A SCC. The rule adopting the Design Manual was repealed in 2025. This ordinance also repeals the definition of the Design Manual in SCC 30.915.455.

212223

2425

6. This ordinance also makes a number of housekeeping amendments to SCC 30.23.040, SCC 30.23A.020, SCC 30.23A.040, SCC 30.23A.050, SCC 30.23A.060, and SCC 30.23A.080 to improve code readability. Housekeeping amendments include the removal of a reference to the 2005 ordinance that repealed the reference note in SCC 30.23.040(36).

26 27

H. The code amendments are consistent with the record as set forth in the PDS Staff Report dated
 February 5, 2025.

30 31

I. The amendments have been evaluated for the potential to create barriers to the implementation of low impact development (LID) principles and measures for stormwater management. The updates to SCC will not impact LID principles or measures.

333435

36

32

J. The amendments will not have an impact on the demand for capital facilities and utilities. County and external service providers maintain long-range plans and financing strategies to meet projected service demands that will not be impacted by the proposed amendments.

373839

40

K. This project will not impact job creation in the county, and will potentially have a positive impact on housing production through encouraging housing development by simplifying and clarifying development regulations.

41 42 43

L. Procedural requirements.

 Under Snohomish County Code, this ordinance is a Type 3 legislative action pursuant to SCC 30.73.010 and 30.73.020.

2. As required by RCW 36.70A.106(1), a notice of intent to adopt the proposed code amendments was transmitted to the Washington State Department of Commerce for distribution to state agencies on March 11, 2025.

3. State Environmental Policy Act (SEPA), chapter 43.21C RCW, requirements with respect to this non-project action have been satisfied through the completion of an environmental checklist and the issuance of a determination of non-significance on March 11, 2025.

4. The public participation process used in the adoption of this ordinance complies with all applicable requirements of the GMA and SCC, including but not limited to, RCW 36.70A.035, RCW 36.70A.140, and chapter 30.73 SCC.

 5. The Planning Commission was briefed on the proposed amendments at its February 25, 2025, meeting and conducted a public hearing on the proposed amendments at its March 25, 2025, meeting, resulting in its letter on June 9, 2025, recommending approval of the code amendments contained in this ordinance.

6. The Washington State Attorney General last issued an advisory memorandum, as required by RCW 36.70A.370, in October 2024 entitled "Advisory Memorandum and Recommended Process for Evaluating Proposed Regulatory or Administrative Actions to Avoid Unconstitutional Takings of Private Property" to help local governments avoid the unconstitutional taking of private property. The process outlined in the State Attorney General's 2024 advisory memorandum was used by Snohomish County in objectively evaluating the regulatory changed proposed by this ordinance.

**Section 2.** The County Council makes the following conclusions:

A. The proposal complies and is consistent with the GMA, Washington State law, and the SCC.

B. The proposal complies and is consistent with the GMACP.

36 C. The County has complied with all SEPA requirements with respect to this non-project action.

D. The public participation process used in the adoption of this ordinance complies with all applicable requirements of the GMA and Title 30 SCC.

41 E. The amendments proposed by this ordinance do not result in an unconstitutional taking of private property for a public purpose.

43

1 (8) Lot coverage includes all buildings on the given lot. 2 3 (9) Sites zoned MR, NB, PCB, CB, or GC in the Southwest UGA where any portion of the site is within 4 2,000 feet of the edge of the right-of-way of State Route 99 are exempt from minimum lot area, 5 minimum lot width, and maximum lot coverage requirements. 6 7 (10) RESERVED for future use. 8 9 (11) These setbacks shall be measured from the property line. 10 11 (12) Greater setbacks than those listed may apply to areas subject to Shoreline Management Program 12 jurisdiction or critical areas regulations in chapters 30.62A, 30.62B, 30.62C, and 30.67 SCC. Some 13 uses have special setbacks identified in SCC 30.23.110. 14 15 (13) The listed setbacks apply where the adjacent property is zoned F. In all other cases, setbacks are the 16 same as in the R-8,400 zone. In the F zone, the setbacks for residential structures on 10 acres or less 17 which were legally created prior to being zoned to F shall be the same as in the R-8,400 zone. 18 19 (14) The maximum building height is 75 feet for multifamily structures on sites zoned MR, NB, PCB, CB, 20 and GC that are in the Southwest UGA where any portion of the site within 2,000 feet of the edge of 21 the right-of-way of State Route 99. Subject to the requirements in SCC 30.22.100, non-residential 22 uses are allowed on the first floor of multifamily structures on sites zoned NB, PCB, CB, and GC that 23 are in the Southwest UGA where any portion of the site is within 2,000 feet of the edge of the right-24 of-way of State Route 99. 25 26 (15) See SCC 30.23.300. 27 28 (16) The maximum building height is increased an additional five feet when the building includes a 29 daylight basement, except under conditions that would violate any other applicable requirements of 30 Title 30 SCC, including the height limit requirements of the Shoreline Management Program (SCC 31 30.67.460), airport compatibility regulations (SCC 30.32E.060), and urban residential design 32 standards (chapter 30.23A SCC). 33 34 (17) In the IP zone there shall be an additional one foot setback for every one foot of building height over 45 feet. 35 36 37 (18) RESERVED for future use. 38 39 (19) See SCC 30.31A.020(1) and (2) which specify the minimum area of a tract of land necessary for PCB 40 or BP zoning. 41 42 (20) See additional setback provisions for dwellings located along the boundaries of designated farmland contained in SCC 30.32B.130. 43

(21) See additional setback provisions for structures located adjacent to forest lands, and/or on lands designated local forest or commercial forest contained in SCC 30.32A.110.

(22) The minimum lot size for properties designated Rural Residential (RR)—10 (Resource Transition) on the comprehensive plan shall be 10 acres.

(23) Minimum lot area requirements may be modified within UGAs in accordance with SCC 30.23.020.

(24) In rural cluster subdivisions approved in accordance with the provisions of chapter 30.41C SCC, the minimum lot area shall be as provided in SCC 30.23.220. The maximum lot area shall be 20,000 square feet or less when located in rural/urban transition areas.

(25) RESERVED for future use.

16 (26) RESERVED for future use.

18 (27) See SCC 30.23.050 for height limit exceptions. See also SCC 30.67.460 for height limit requirements 19 within shoreline jurisdiction.

(28) RESERVED for future use.

23 (29) See SCC 30.23.200 et seg. for additional lot area requirements and exceptions.

(30) SCC 30.32A.120 (Siting of new structures: Commercial forest land) requires an application for a new structure on parcels designated commercial forest, but not within a designated commercial forest—forest transition area, to provide a minimum 500-foot setback, which shall be a resource protection area, from the property boundaries of adjacent commercial forest lands except that if the size, shape, and/or physical site constraints of an existing legal lot do not allow a setback of 500 feet, the new structure shall maintain the maximum setback possible, as determined by the department.

(31) Setback requirements for mineral excavation and processing are in SCC 30.23.110(27). Performance standards and permit requirements are in chapter 30.32C SCC.

(32) For mineral excavation and processing: The site shall be a contiguous geographic area and have a size of not less than 10 acres, except in the case of subsurface shaft excavations, no minimum acreage is required, pursuant to SCC 30.32C.020(1).

(33) See SCC Table 30.28.050(4)(i) for setback requirements for structures containing a home occupation.

42 (34) RESERVED for future use.

1 2 3	(35) See chapter 30.31E SCC, for more complete information on the Townhouse Zone height, setback, and lot coverage requirements.
4 5	(36) RESERVED for future use (( <del>(MR and LDMR setbacks—DELETED by Ord. 05-094, effective September 29, 2005)</del> )).
6 7 8	(37) Agriculture. All structures used for housing or feeding animals, not including household pets, shall be located at least 30 feet from all property lines.
9 10 11 12 13	(38) There shall be no subdivision of land designated commercial forest in the comprehensive plan except to allow installation of communication and utility facilities if all the following requirements are met:
14 15	(a) The facility cannot suitably be located on undesignated land;
16 17	(b) The installation cannot be accomplished without subdivision;
18 19	(c) The facility is to be located on the lowest feasible grade of forest land; and
20 21	(d) The facility removes as little land as possible from timber production.
22 23 24 25 26 27	(39) On parcels designated commercial forest, but not within a designated commercial forest—forest transition area, establish and maintain a minimum 500-foot setback, which shall be a resource protection area, from the property boundaries of adjacent commercial forest lands except when the size, shape, and/or physical site constraints of an existing legal lot do not allow a setback of 500 feet, the new structure shall maintain the maximum setback possible as provided in SCC 30.32A.120.
28 29 30 31 32	(40) Land designated local commercial farmland shall not be divided into lots of less than 10 acres unless a properly executed deed restriction which runs with the land and which provides that the land divided is to be used exclusively for agricultural purposes and specifically not for a dwelling(s) is recorded with the Snohomish County auditor.
33 34 35 36 37	(41) Minimum lot area in the rural use zone shall be the minimum allowed by the zone identified as the implementing zone by the comprehensive plan for the plan designation applied to the subject property. Where more than one implementing zone is identified for the same designation, the minimum lot size shall be that of the zone allowing the smallest lot size.
38 39	(42) RESERVED for future use.
40 41	(43) Additional bulk requirements may apply. Refer to SCC 30.31F.100 and 30.31F.140.
42 43	(44) The 50 percent maximum lot coverage limitation applies solely to the portion of the area within the CRC comprehensive plan designation and zone that is centered at 180th Street SE and SR 9,
	ORDINANCE NO. 25-057

1	generally extending between the intersection of 172nd Street/SR 9 to just south of 184th Street/SR
2	9, as indicated on the county's FLUM and zoning map.
3	
4	(45) The 30 percent maximum lot coverage limitation applies solely to the portion area located within
5	the CRC comprehensive plan designation and zone that is centered at State Route (SR) 9 and 164 <sup>th</sup>
6	Street SE, as indicated on the county's Future Land Use Map (FLUM) and zoning map.
7	
8	(46) Additional setbacks may apply to development within a rural cluster subdivision. Refer to chapter
9	30.41C SCC. Residential subdivision is restricted pursuant to SCC 30.32C.050. Uses are restricted
10	where the R-5 zone coincides with the Mineral Resource Overlay (MRO) to prevent development
11	which would preclude future access to the mineral resources.
12	
13	(47) RESERVED for future use.
14	
15	(48) RESERVED for future use.
16	
17	(49) RESERVED for future use.
18	
19	(50) RESERVED for future use.
20	
21	(51) RESERVED for future use.
22	
23	(52) RESERVED for future use.
24	
25	(53) RESERVED for future use.
26	
27	(54) A split parcel may be subdivided along the UGA boundary line using one of three methods. First, a
28	split parcel may be subdivided along the UGA boundary line into two lots, whereby one lot remains
29	within the UGA and the other lot remains outside the UGA, pursuant to SCC 30.41B.010(5). Second,
30	a split parcel may be subdivided as part of a short plat application, pursuant to SCC 30.41B.010(8).
31	Finally, a split parcel may be subdivided as part of a plat application, pursuant to SCC 30.41A.010(3).
32	
33	(55) See SCC 30.42E.100(9)(c).
34	
35	(56) RESERVED for future use.
36	
37	(57) RESERVED for future use.
38	
39	(58) RESERVED for future use.
40	
41	(59) Relationship of setback to building height:
42	

The minimum setback requirements are dependent on the heights of the building as specified in the column. To meet the setback requirements, buildings over 20 feet in height must either:

2 3 4

1


- (a) Set the entire building back the minimum setback distance; or
- 5 6
- (b) ((Stepback)) Setback those portions of the building exceeding 20 feet in height to the minimum setback distance, as illustrated in Figure 30.23.040(59).

7 8 9


10

11

Figure 30.23.040(59). ((Example of relationship)) Relationship of ((building height)) Building Height to ((stepback)) Setback



12



"A" represents the minimum setback distance for the portion of a building less than or equal to 20 feet in height.

"B" Represents the minimum setback distance for the portion of a building greater than 20 feet in height.

Note: An applicant may choose one or more setbacks for buildings greater than 20 feet in height if multiple setback requirements apply to the building height. For example, a building that is 45 feet in height may have a 20-foot setback for the portion of the building between 20 and 30 feet in height, and 25-foot setback for the portion of the building greater than 30 feet in height.

### 30.23.049 Reference notes for SCC Tables 30.23.041 through 30.23.047.

(1) The setback shall be measured from the edge of the tract or easement. Where no tract or easement is established, the measurement shall be made from the edge of the road network element.

(2) The setback may be reduced to the setback required for a structure if a vehicle entering the covered parking structure can turn around inside the covered parking structure and exit without having to back out.

(3) These setbacks shall be measured from the edge of the right of way.

(4) Applies to public rights-of-way under 60 feet that are not included in development subject to the recorded subdivision, short subdivision, or binding site plan. These setbacks shall be measured from the centerline of the right-of-way.

(5) The county engineer may require the front lot line setback from a public right-of-way be measured from a right-of-way reservation line established in accordance with SCC 30.24.140(1), when:

(a) The right-of-way width is less than 60 feet in width and determined inadequate by the county engineer based on:

(i) The comprehensive plan arterial circulation map; or

(ii) An adopted design report, roadway design or right-of-way plan; and

(b) The right-of-way is not located in a recorded subdivision, short subdivision or binding site plan.

(6) Single-family detached, single-family attached, and duplex structures constructed in the LDMR and MR zones shall use the minimum setbacks required in the R-8,400 zone.

(7) Structures over two stories, other than single-family detached structures, shall increase the setbacks by three feet; provided, that the additional setback shall only be required as an upper floor ((stepback)) setback for portions of residential structures above 20 feet in height in the same manner as SCC 30.23.040(59).

(8) In the IP zone there shall be additional one foot setback for every one foot of building height over 45 feet.

40 (9) In the F zone, the setbacks for residential structures on lots 10 acres or less, where the lot was legally created prior to being zoned to F, shall be the same as in the R-5 zone.

43 (10) See SCC 30.23.120 for front setback exceptions from road network elements.

- 3
- 4
- 5

(12) See SCC 30.23.040(59).

architectural features.

30.23A.020 Applicability

- 6 7
- 8 9
- 10
- 11 12
- 13
- 14 15
- 16
- 17 18
- 19 20
- 21
- 22 23
- 24 25
- 26 27
- 28 29
- 30 31

### 32 33

- 34 35
- 36 37 38
- 39 40
- 41 42
- 43

PAGE 15 OF 37

(c) Residential development or mixed use development subject to chapters 30.31G, 30.34A or 30.41G SCC; and

(b) Construction of a detached ((single family)) single-family dwelling or duplex structure on a lot

(1) Urban residential design standards of this chapter shall apply to all new residential development

(11) See SCC 30.41C.130 and 30.41C.140 for additional front setback requirements for lots created

(13) In a townhouse or mixed townhouse development, setbacks for residential structures may be

(14) In a townhouse or mixed townhouse development, setbacks for entrances to covered parking

(b) A minimum of zero feet from a drive aisle, shared court, shared driveway, or alley.

structures may be reduced under subsections (14)(a) and (b) of this section, except that such

entrances to covered parking structures shall be restricted under subsection (14)(c) of this section:

(c) The vehicular entrance to a covered parking structure shall not be located between nine and 19

feet from an abutting road network element. An entrance to a covered parking structure that is

located at least 19 feet from the abutting road network element may have upper-story floors

project up to four feet horizontally into the area where an entrance to a covered parking

structure is prohibited, and except as otherwise allowed under SCC 30.23.115 for minor

(15) The setback from a drive aisle that provides access to the rear of a lot, structure, or use, and is less

Section 6. Snohomish County Code Section 30.23A.020, last amended by Amended Ordinance

through the rural cluster subdivision provisions of chapter 30.41C SCC.

reduced to a minimum of five feet from a public or private road.

(a) A minimum of five feet from a public or private road.

than 20 feet in width, shall be a minimum of four feet.

located within urban growth areas, excluding the following:

(a) Mobile homes and manufactured homes within mobile home parks;

No. 10-072 on September 8, 2010, is amended to read:

created prior to April 21, 2009;

ORDINANCE NO. 25-057 RELATING TO GROWTH MANAGEMENT; REVISING REGULATIONS CONCERNING URBAN RESIDENTIAL DEVELOPMENT STANDARDS; AMENDING CHAPTERS 30.23, 30.23A, AND 30.91S OF THE SNOHOMISH COUNTY CODE

3 4

- (d) Any remodel of an existing ((single family)) detached single-family dwelling, duplex, or ((attached single family structure)) single-family attached dwelling;
- (e) Any remodel of a townhouse or multiple family structure that has been destroyed where the restoration cost does not exceed 75 percent of the assessed value of record when the destruction occurred; and
- (f) See SCC 30.42E for design standards for new mobile home parks.
- (2) When a development proposal has multiple uses or dwelling types, the most intensive use or dwelling type shall determine which provisions of this chapter shall apply.

Section 7. Snohomish County Code Section 30.23A.030, last amended by Amended Ordinance No. 17-062 on October 18, 2017, is amended to read:

### 30.23A.030 Compatibility design standards.

- (1) The purpose of compatibility design standards is to require additional features to be incorporated into higher density residential development when located adjacent to properties zoned and developed or designated for lower density single-family use in order to enhance the compatibility
- (2) Where residential development is subject to the provisions of this chapter, the provisions in SCC Table 30.23A.030(2) shall establish when the compatibility design standards in this section apply. When the adjacent property is within the UGA, it must also have one of the following characteristics, in addition to a zoning classification indicated with a "yes" in SCC Table 30.23A.030(2), before the compatibility measures are required:
  - (a) A lower intensity designation than the project site on the Future Land Use map of the GMA Comprehensive Plan;
  - (b) Platted and developed residential lots averaging 10,000 square feet in area or less; or
  - (c) Homes located within 50 feet of the property line that have an average age of 15 years or less.

#### Table 30.23A.030(2) Zoning Test for Compatibility Design Standards

Zoning Classification of Adjacent	R-9,600, R-8,400	R-7,200	Non-Urban Zones
Property <sup>→</sup>			
Secretary 111.			
Proposed Use ↓			
((Single family detached)) Detached			
single-family dwellings at less than			
seven dwellings per gross acre			

ORDINANCE NO. 25-057

Single-family detached at seven dwellings or more per gross acre <sup>1</sup>	Yes		Yes
Mobile home			
Duplex			
Single-family attached at less than			
seven dwellings per gross acre			
Single-family attached at seven	Yes		Yes
dwellings or more per gross acre			
Townhouse	Yes	Yes <sup>2</sup>	Yes
Multifamily	Yes	Yes <sup>2</sup>	Yes

Where "yes" is marked in the table, and at least one characteristic in SCC 30.23A.030(2) is present, SCC 30.23A.030(3) shall apply.

**Footnote 1:** This use shall also include any subdivision or short subdivision using the lot size averaging provisions of SCC 30.23.210, and shall apply only to that portion of the site where lots 6,000 square feet or less in size are proposed.

**Footnote 2:** The compatibility requirements for townhouse, mixed townhouse, and multifamily development shall not apply along property lines adjacent to property zoned R-7,200 and developed with townhouse or mixed townhouse development.

(3) When compatibility design standards are applicable, residential development shall incorporate at least two of the following design standards:

(a) Increase the minimum building setback to 20 feet from those lot lines abutting urban zones, and 40 feet ((<del>for</del>)) <u>from</u> those lot lines abutting non-urban zones marked "yes" in SCC Table 30.23A.030(2);

(b) Limit maximum building height to 30 feet within 50 feet of those abutting property lines to zones marked "yes" in SCC Table 30.23A.030(2);

(c) Increase the perimeter landscaping vegetation by at least 50 percent over the amount required in SCC 30.25.017, or if no perimeter landscaping is required, provide a minimum 10-foot wide perimeter Type A landscaped buffer pursuant to the standards in SCC 30.25.017;

(d) Limit townhouse and multifamily buildings located within 50 feet of abutting property lines to zones marked "yes" in SCC Table 30.23A.030(2) to a maximum of three dwelling units per building with a minimum separation of 25 feet between buildings;

 (e) Separate <u>detached</u> single-family ((<del>detached</del>))<u>dwelling</u> and duplex ((<del>dwelling</del>)) structures by at least 20 feet between buildings located within 50 feet of abutting property lines to zones marked "yes" in SCC Table 30.23A.030(2);

37

38 39


40

41 42

- (f) Incorporate two architectural features, such as those described in SCC 30.23A.040(2) ((or the Snohomish County Residential Design Manual)), to break up blank walls greater than 500 square feet that face properties in zones marked "yes" in SCC Table 30.23A.030(2); or (g) Provide a decorative wall or solid and landscaped fence between buildings and adjacent properties located in zones marked "yes" in SCC Table 30.23A.030(2) that: (i) Uses brick or stone; (ii) Is a minimum height of five feet; (iii) Incorporates architectural detailing, such as posts, ornamental iron grillwork, or ((other)) similar elements ((prescribed in Snohomish County Residential Design Manual)); and (iv) Incorporates landscaping, openings, and other design elements that break up the continuity of a solid wall or fence at least every 10 feet unless otherwise approved by the director. Section 8. Snohomish County Code Section 30.23A.040, adopted by Amended Ordinance No. 08-101 on January 21, 2009, is amended to read: 30.23A.040 Detached single-family dwelling and duplex design standards. Detached single-family dwellings and duplex structures shall comply with the following requirements: (1) Buildings shall incorporate at least two of the following design elements: (a) A roof with a shape that is visually distinct from at least 75 percent of the other roofs in the ((subdivision)) development based on variations in roof forms and pitch, ridge line height, overhangs, projections, and extended eaves. (b) A setback from the front lot line that differs by five feet or more from each of the adjacent buildings. 35 (c) A porch of at least 60 square feet at the front entry of the building that differs from at least 75
  - percent of other porches in the ((subdivision)) development by 10 percent or more in its dimensions or by its location relative to the garage.
  - (d) A primary entrance facing and visible from a public ((right-of-way,)) or private road, or courtyard that opens up to a public ((right-of-way)) or private road.
  - (e) Building form and scale that is significantly different from at least 75 percent of the other buildings in the ((subdivision)) development, where rambler, daylight basement, ((split level))

- (3) At least two of the following design features shall be incorporated into any attached or detached garage facing a ((public right-of-way, road, or drive aisle)) road network element, unless the garage is located at least 20 feet behind the foundation wall of the front of the house with no more than 50 percent of the front of the garage visible from the street.
  - (a) Angle the garage by at least 45 degrees to the ((public right-of-way, private road or drive aisle)) road network element if it is attached or by 30 to 60 degrees to the ((public right-of-way, private road or drive aisle)) road network element if it is detached (see SCC Figure 30.23A.040(3)).
  - (b) If there is only one garage door, limit the width of the garage door to ((ten)) 10 feet.
  - (c) If there is more than one garage door, limit the width of each door to no more than ((ten)) 10 feet and provide at least a two-foot separation between doors.
  - (d) Limit the size of the automobile garage door to 25 percent or less of the area of the facade on which the garage door is located, including the area of upper floors but not including the area of the roof.
  - (e) Provide variation in the appearance of the garage ((door(s))) doors through trim, windows, ((and/or)) or relief.
  - (f) Cantilever the top story above the garage by at least 18 inches.
  - (g) Provide architectural treatment, such as a trellis, subroof, or awning projecting one foot or more beyond garage to de-emphasize garage doors.
  - (h) Locate the automobile garage door at least five feet back from the foundation wall of the front of the house, not including uncovered porches, ((and)) stoops, and similar projections.

#### Figure 30.23A.040(3). Angled Garage



(4) The director may implement the requirements of SCC 30.23A.040(1), (2) and (3) through a self-certification program, ((provided that)) however an applicant is ineligible for self-certification if that

open space; exterior building facades and roofs; and other similar features.

 $((\frac{7}{2}))$  (6) Specific design standards for townhouse and mixed townhouse developments. Townhouse and mixed townhouse developments shall be subject to additional design standards contained in SCC Table 30.23A.050(1), SCC Table 30.23A.050(2), and SCC Table 30.23A.050(3).

### Table 30.23A.050(1) Additional Design Standards for Townhouse and Mixed Townhouse **Developments: General Design Requirements**

Standard	Requirement
Maximum number of dwelling	In the R-7,200 zone, the maximum number of dwelling units in a
units per townhouse structure	townhouse structure is six. In the T, LDMR, MR, NB, PCB, CB, and GC
	zones, the maximum number of dwelling units in a townhouse
	structure is eight.
Mixture of dwelling types in	(a) At least 70 percent of the dwelling units in a mixed townhouse
mixed townhouse	development shall be townhouse dwelling units, except as may be
developments	authorized under subsection (b).
	(b) An applicant may request an exception from subsection (a) when the development site only has sufficient development capacity for five dwelling units, in which case the director may allow a mixed townhouse development consisting of a three-unit townhouse and one of the following: two single-family detached dwelling units, two single-family attached dwelling units, or one duplex structure.
	(c) If an applicant elects to use the exception under subsection (b), the applicant shall demonstrate in writing why the requirements of subsection (a) cannot otherwise be satisfied.
Building separation	Building separation shall be determined under the requirements of subtitle 30.5 SCC.
Building transparency	(a) Dwelling units shall provide a minimum facade transparency of 20 percent for each primary facade and 10 percent for each secondary facade facing a road network element or other public space, whether publicly or privately owned (such as a shared common space or internal pedestrian facility providing access to other dwelling units), subject to the following:
	(i) Windows and doors may be employed to meet the minimum facade transparency requirements;
	(ii) Windows used to meet this standard must provide for
	transparent views from within the building to the road network
	element or other spaces, whether publicly or privately owned (such
	as shared common open space or internal pedestrian facility
	providing access to other dwelling units), and vice versa, except that

	semi-frosted or semi-glazed windows that allow for internal light to pass through may be used for ground-floor doors only;
	(iii) Each window shall be accented with trim, sill, or other architectural exterior molding or use a technique to recess or project the window from the facade plane to create visual interest; and
	(iv) Blank walls greater than 20 feet in length shall not be allowed; provided, that trellis work and other architectural features designed to break up height, bulk, and scale of a facade may be used as a measure to satisfy the maximum blank wall length standard with approval of the director.
	(b) For the purpose of this section, a primary facade is considered to be the building face with a primary pedestrian entrance and a secondary facade is considered to be any other qualifying building face.
Landscaping	(a) In addition to the landscaping requirements in chapter 30.25 SCC, landscaping shall be provided in all front and side setbacks and common outdoor areas associated with a dwelling unit. This additional landscaping shall be incorporated into the landscaping plan required by SCC 30.25.015 and include the following:
	(i) Existing non-noxious vegetation and trees shall be incorporated into the landscape design to the greatest extent possible;
	(ii) Shrubs shall be provided at a density of at least five plants per 100 square feet of landscaping area;
	(iii) Not more than 50 percent of the shrubs may be deciduous; and
	(iv) Groundcover that shall provide 90 percent coverage of the landscaped area within three years of planting.
	(b) Private patio, uncovered deck, or covered porch space for individual units may partially or fully satisfy the additional landscaping requirements under subsection (a), as determined by the director.
Parking	(a) Parking shall meet the following parking standards in addition to those under chapter 30.26 SCC:
	(i) All parking stalls associated with an individual dwelling unit shall be provided in accordance with any of the following:
	(A) The parking stall(s) shall be located upon the dwelling unit's driveway((;)).

- (B) The parking stall(s) shall be fully enclosed within an attached garage constructed as part of the dwelling unit.
- (C) The parking stall(s) shall be fully enclosed within an attached garage located within the footprint of another dwelling unit that is no more than 50 feet away. The garage space shall be physically partitioned and not accessible to the interior of the dwelling unit. The garage and stall(s) within shall be reserved for the sole use of the individual dwelling unit indicated in subsection (a)(i). Refer to SCC Figure 30.23A.050(1) for application of this requirement.
- (D) The parking stall(s) shall be fully enclosed within a consolidated parking structure which contains no more than eight parking stalls unless located below ground in which case there is no maximum.
- (E) The parking stall(s) shall be provided and reserved within a private road or drive aisle as parking.
- (F) The parking stall(s) may be provided through any mixture of subsections (a)(i)(A) through (a)(i)(E).
- (ii) Guest parking shall be located in surface parking areas within a private road or drive aisle.
- (iii) When parking is proposed within a private road or drive aisle under subsections (a)(i)(E) or (a)(ii), the parking shall be incorporated into an approved road network element design and shall not be subject to the requirements of SCC 30.23A.050(1)(b).
- (b) Where parking requirements in subsection (a) are more specific or restrictive than those contained in chapter 30.26 SCC, the requirements of subsection (a) shall apply.

## Table 30.23A.050(2) Additional Design Standards for Townhouse and Mixed Townhouse Developments: Primary Pedestrian Entrance Design Requirements

Standard	Requirement
Primary pedestrian entrances	Each primary pedestrian entrance for a dwelling unit in a townhouse and mixed townhouse development shall be visually prominent. Individual primary pedestrian entrances shall employ the use of covered porches, stoops, uncovered decks, staircases, or other architecturally detailed and functional entryways that provide overhead weather protection, as approved by the director, and may apply use of the following exceptions in the design which modify the standards of SCC 30.23.115:

- (a) Uncovered decks up to 18 inches above the existing or finished grade, or the grade of the adjacent road, whichever is lower, may project into required setbacks to the adjacent road element;
- (b) Covered porches, stoops, or staircases may project into required setbacks to the adjacent road network element if they are no higher than four feet above the existing or finished grade, or the grade of the adjacent road, whichever is lower, except that the projection into the required setback within four feet of the adjacent road network element may not exceed a height of 30 inches above the existing or finished grade, or the grade of the adjacent road, whichever is lower, for entry staircases or stoops;
- (c) For covered porches, stoops, or staircases allowed under subsection (b), the maximum height requirements described in the subsection shall not apply to guardrails and handrails that are attached to such structures; and
- (d) Covered porches allowed under subsection (b) may be covered; provided, that no portion of the cover-structure, including pillars, supports, and eaves, are closer than four feet to an adjacent road network element.

## Primary pedestrian entrance areas (dooryards)

- (a) Each primary pedestrian entrance for a dwelling unit shall consist of a primary pedestrian entrance area (dooryard) that incorporates at least two of the following features:
- (i) Usable private open space for the enjoyment of the dwelling unit's residents;
- (ii) Landscaping that covers more than 50 percent of the designated primary pedestrian entrance area (dooryard);
- (iii) A hedgerow, not to exceed three feet in height, that provides visual separation to create a sense of separate ownership from any adjacent dwelling units, common open space, and road network element;
- (iv) Fences, not to exceed four feet in height, that are designed to allow semi-transparency; provided, that architectural features such as arbors and trellises may be constructed on top of fences and obtain an additional two feet in height;
- (v) Decorative bulkheads and retaining walls with a height of no more than four feet above grade; provided, that:

	(A) If a fence is located on top of such features, the maximum height shall be no more than five feet above grade and shall be calculated as an aggregate of both structural elements; and
	(B) Associated pillars may frame fences used under subsection (a)(v)(A) and shall not exceed a height of five-and-one-half feet above grade; or
	(vi) Other design features approved by the director.
	(b) Each primary pedestrian entrance shall have a primary pedestrian entrance area (dooryard) that:
	(i) Has a minimum area of 50 square feet (which may include the primary pedestrian entrance itself); and
	(ii) Has no dimension that is less than six feet in length.
	(c) Primary pedestrian entrance areas (dooryards) shall be calculated as illustrated in SCC Figure 30.23A.050(2).
Variety of primary pedestrian	At least one-third of the primary entrances and primary entrance
entrances and primary pedestrian entrance areas	areas in a townhouse or mixed townhouse development shall be visually distinct (such as front door location, materials, and pattern)
(dooryards)	in design from the other primary pedestrian entrances and primary pedestrian entrance areas (dooryards) in the development, and no more than 50 percent of the dwelling units in a townhouse structure may use the same design features.

# Table 30.23A.050(3) Additional Design Standards for Townhouse and Mixed Townhouse Developments: Landscaping Requirements for Dwelling Units with an Attached Garage

Standard	Requirement
Requirements for dwelling	(a) A dwelling unit with an attached garage that faces a road
units with front-loaded	network element and has its primary pedestrian entrance oriented
attached garages	toward the same road network element under SCC Figure
	30.23A.050(3) shall meet the landscaping standards of subsections (b) and (c).
	(b) A landscape buffer with no dimension less than 18 inches in length shall be provided adjacent to the driveway on the opposite side of the driveway from the primary pedestrian entrance area (dooryard) and the space shall extend the full length from the residence to the adjacent road network element.

	(c) At least 75 percent of ground coverage within the landscape
	buffer shall include an equal mix of evergreen and deciduous shrubs that meets the standards of SCC 30.25.015(5).
Requirements for dwelling units with rear-loaded attached garages	(a) A dwelling unit with an attached garage that is provided with vehicular access at the rear of the structure by a road network element but has a primary pedestrian entrance oriented upon another building face under SCC Figure 30.23A.050(3) shall meet the landscaping standards of subsections (b) and (c) if the road network element from which the attached garage is intended to obtain access will have one or more primary pedestrian entrances from other dwelling units oriented toward it and a pedestrian facility is to be constructed within the road network element.
	(b) When an attached garage is separated from a connecting road network element by more than five feet, a landscape buffer with no dimension less than 18 inches in length shall be provided adjacent to the driveway on both sides. The landscape buffer shall extend the full length from the dwelling unit to the adjacent road network element; provided, that only one landscape buffer shall be required achieving the aforementioned standards on the opposite side of the driveway of a secondary pedestrian entrance.
	(c) At least 75 percent of ground coverage within each landscape buffer shall include an equal mix of evergreen and deciduous shrubs that meets the standards of SCC 30.25.015(5).
Requirements for dwelling units with side-loaded attached garages	(a) A dwelling unit with an attached garage that is provided vehicular access at the side of the dwelling unit by a road network element but has a primary pedestrian entrance oriented upon another building face under SCC Figure 30.23A.050(3) shall meet the landscaping standards of subsections (b) and (c).
	(b) When an attached garage is separated from the connecting road network element by more than five feet, a landscape buffer with no dimension less than 18 inches in length shall be provided adjacent to the driveway on both sides. The landscape buffer shall extend the full length from the dwelling unit to the adjacent road network element; provided, that only one landscape buffer shall be required achieving the aforementioned standards on the opposite side of the driveway of a secondary pedestrian entrance.
	(c) At least 75 percent of ground coverage within each landscape buffer shall include an equal mix of evergreen and deciduous shrubs that meets the standards of SCC 30.25.015(5).

# Figure 30.23A.050(1). Alternative Parking Garage Options for Townhouse and Mixed Townhouse Developments.

1 2

Figure 30.23A.050(2). Calculating Required Primary Pedestrian Entrance Areas (Dooryards) for Townhouse and Mixed Townhouse Developments.




Figure 30.23A.050(3). Defining Front-Loaded, Rear-Loaded, and Side-Loaded Attached Garages

**Section 10.** Snohomish County Code Section 30.23A.060, last amended by Amended Ordinance No. 17-061 on March 28, 2018, is amended to read:

1	(3)	Ext	erior lighting.
2		/ - N	Probates and all the contracts of the states and a section of the states and a section of the se
3		(a)	Lighting shall illuminate building entries and surfaces intended for pedestrians or vehicles.
4 5		(h)	Exterior lighting shall be used along pedestrian facilities to identify and distinguish the
6		(6)	pedestrian facilities from automobile circulation and parking areas.
7			pedestrial radinates from automobile direation and parking areas.
8		(c)	All building lighting for security or aesthetics will be full cut-off or a shielded type, not allowing
9		` '	any upward distribution of light.
10			
11	(4)	Bui	Idings shall be oriented pursuant to SCC 30.23A.070.
12			
13	(5)	Arc	hitectural design elements.
14			
15		(a)	When a multifamily building has shared entryways, the building entrances shall incorporate a
16			canopy, awning or other architectural element that provides pedestrians protection from the
17			weather.
18			
19		(b)	Each multifamily building shall incorporate variation to any facade of a building that faces a
20			public or private ((right-of-way)) road network element by incorporating at least three of the
21			following elements:
22			
23			(i) Incorporate changes in the roofline at intervals not greater than 40 continuous feet in
24 25			length, such as variations in roof pitch, dormers, overhangs, projections, and extended
26			eaves;
27			(ii) Provide distinctive window patterns that are not repeated within groupings of up to six
28			dwelling units;
29			aweiling antes,
30			(iii) Include balconies, bay windows, cornices, covered porches or other changes in the facade of
31			the building;
32			<b>0</b> /
33			(iv) Set back balconies and other architectural elements on the upper floors of multi-story
34			buildings;
35			
36			(v) Incorporate diminishing upper floors (gross floor area of upper story is smaller than the
37			gross floor area of the lower story);
38			
39			(vi) Provide variations in the setback of the building from the front lot line by at least five feet at
40			horizontal intervals of 40 feet or less; or
41			
42			(vii) Provide other architectural elements that the director determines accomplish the objective
43			of visually dividing the structure into smaller identifiable sections.

 (((c) The architectural elements in this section shall be implemented pursuant to the Snohomish County Residential Design Manual.))

**Section 11.** Snohomish County Code Section 30.23A.080, last amended by Amended Ordinance No. 13-042 on July 10, 2013, is amended to read:

### 30.23A.080 On-site recreation space.

(1) On-site recreation space shall be required for residential development that is subject to the provisions of this chapter and containing seven or more dwellings, except this section shall not apply to projects submitted under chapter 30.42B SCC.

(2) On-site recreation space shall be provided in accordance with SCC Table 30.23A.080(2):

## Table 30.23A.080(2) ((On-site recreation space requirements)) On-site Recreation Space Requirements

((Number of Dwelling Units)) Total number of dwelling units in the development	Amount of on-site recreation open space required per each dwelling unit
(( <del>Units</del> )) 7 to 40	200 sq ft
(( <del>Units</del> )) 41 to 100	150 sq ft
((Units)) Over 100	100 sq ft

- (3) The requirements in SCC Table 30.23A.080(2) may be reduced by up to 50 percent for residential development that is located within one-quarter mile walking distance of a public park or public school containing a playground or outdoor recreational facilities. The director shall determine the amount of reduction based on the following:
  - (a) The availability of safe pedestrian facilities connecting to the development to the ((park/school)) park or school;
  - (b) The ability of the ((park/school)) park or school facilities to accommodate additional usage by residents of the development; and
  - (c) The number of parks and school facilities located within one-quarter mile distance.

(4) On-site recreation open space shall be designed as follows:

(a) On-site recreation open space shall be located in a separate tract for subdivisions and short subdivisions from the residential dwellings and shall have an undivided ownership interest by owners of the development:

ORDINANCE NO. 25-057
RELATING TO GROWTH MANAGEMENT; REVISING REGULATIONS CONCERNING URBAN RESIDENTIAL DEVELOPMENT STANDARDS; AMENDING CHAPTERS 30.23, 30.23A, AND 30.91S OF THE SNOHOMISH COUNTY CODE PAGE 35 OF 37

watching facilities, unimproved trails, and similar uses approved by the director;

(i) Unfenced detention, retention, and wet ponds;

(g) The following drainage facilities may be counted on as on-site passive recreation space:

1	(ii) St	tormwater treatment wet	tlands;
2 3	(iii) St	tormwater infiltration tre	nches and bioswales that serve more than one dwelling <u>unit;</u> and
4			
5	(iv) Vo	egetated areas located al	pove underground detention facilities; (( <del>and</del> ))
6 7	(h) Acces	s for nedestrians shall be	provided from all (( <del>dwellings</del> )) <u>dwelling units</u> within the
8		•	creation space through trails, ((sidewalks, pathways)) pedestrian
9		•	ans of access pursuant to SCC 30.24.080; and
10		<b>.</b>	,
11	(i) On-sit	te recreation space shall r	not include privately owned yards.
12			
13	Section	on 12. Snohomish County	Code Section 30.91S.160, adopted by Amended Ordinance No.
14	02-064 on Dec	cember 9, 2002, is amend	led to read:
15			
16	30.91S.160 Se	etback.	
17	<i>"</i>		
18			uilding <u>or portion of a building, such as its upper stories,</u> or use
19	must be remo	oved from the lot lines of	the property.
20	Coatia	n 12 Chahamish Caunty	Code Section 20.015 AFF adopted by Ordinance No. 17.062 on
21 22		<b>on 13.</b> Shohollish County 017, is repealed.	Code Section 30.91S.455, adopted by Ordinance No. 17-062 on
23	October 18, 2	oir, is repealed.	
24	Section	on 14. Severability and Sa	vings. If any section, sentence, clause or phrase of this ordinance
25		•	th Management Hearings Board (Board), or unconstitutional by a
26		•	nvalidity or unconstitutionality shall not affect the validity or
27	constitutional	ity of any other section, s	entence, clause or phrase of this ordinance. Provided, however,
28	that if any sec	tion, sentence, clause or	phrase of this ordinance is held to be invalid by the Board or
29	•		he section, sentence, clause or phrase in effect prior to the
30			e in full force and effect for that individual section, sentence,
31	clause or phra	ase as if this ordinance ha	d never been adopted.
32			
33	PASSED this _	day of	, 2025.
34 35			SNOHOMISH COUNCIL
36			Snohomish, Washington
37			Shoriomish, washington
38			
39			
40			Council Chair
41	ATTEST:		
42			

1		
2	Asst. Clerk of the Council	
3		
4	( ) APPROVED	
5	( ) EMERGENCY	
6	( ) VETOED	DATE:
7		
8		
9		
10		County Executive
11	ATTEST:	
12		
13		<u></u>
14		
15	Approved as to form only:	
16		
17	/s/ Alethea Hart 9/9/2025	<u></u>
18	Deputy Prosecuting Attorney	

ECAF: **2025-3126** RECEIVED: **9/29/2025** 

# ORDINANCE INTRODUCTION SLIP

**SNOHOMISH COUNTY COUNCIL** 

3.1.003 **EXHIBIT** #

TO: Clerk of the Council FILE ORD 25-057

TITLE OF PROPOSED ORDINANCE:

RELATING TO GROWTH MANAGEMENT; REVISING REGULATIONS CONCERNING URBAN RESIDENTIAL DEVELOPMENT; AMENDING CHAPTERS 30.23, 30.23A, AND 30.91S OF THE SNOHOMISH COUNTY CODE

Introduced By:				
miroduced by.	N Nel	9/30/2025		
	Councilmember	Date		
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~~~		
Clerk's Action:	Proposed Ordinance No	25-057		
Assigned to: Planning and Community Deve	elopment Committee Date	10/7/2025		
STANDING COMMITTEE F	RECOMMENDATION F	ORM		
On, the Committee co Yeas and Nays and made the follo		Consensus /		
Move to Council to schedule public he		LS		
Other  Regular Agenda Administrative Matters✓				
Public Hearing Date <u>12/3/2025</u> at 10:	:30 am			
Comr	mittee Chair			



# Planning and Community Development SNOHOMISH COUNTY COUNCIL

FILE

Ryan Hembree

Council	<b>Initiated:</b>

□Yes  $\boxtimes No$ 

	<b>EXHIBIT</b> #3.2.001	
CAE: 2025-2126	ORD 25-057	

ECAF: 2025-3126 Ordinance: 25-057 Subject:

Revising regulations concerning Urban Residential Development; amending

Chapters 30.23, 30.23a, and 30.91s of the Snohomish County Code

Scope: To amend Snohomish County Code (SCC) chapters 30.23, 30.23A, and 30.91S

> SCC related to Urban Residential Design Standards (URDS). Amendments include removing outdated or inaccurate terminology, adding clarifying language to ensure consistent implementation of the URDS requirements, and removing reference to and the requirement to comply with the obsolete

Snohomish County Residential Design Manual.

**Duration:** N/A

> ☐ Current Year ☐ Multi-Year  $\boxtimes$  N/A **Fiscal Impact:**

**Authority Granted:** 

Ordinance 25-057 would authorize the County Executive to approve amendments to Chapters 30.23, 30.23a, and 30.91s of the SCC.

Background:

Chapter 30.23A SCC (URDS) provides standards and guidelines that address site and building design features for new urban residential development in urban unincorporated Snohomish County. Chapter 30.23 SCC is comprised of the General Development Standards - Bulk Regulations that contain matrices that define setback, lot coverage, building height, and lot dimension regulations for all zones in unincorporated Snohomish County.

**Request:** Move Ordinance 25-068 to GLS to set a time and date for a public hearing.

### **Requested Handling:**

**⊠Code Amendment** 

**⊠** Normal

Other

Type: ☐ Contract

☐ Board Appt.

☐ Budget Action

□ Expedite

□Urgent

**Fund Source:** 

☐ General Fund

□ Other

 $\boxtimes N/A$ 

**Executive Rec:** 

**⊠**Approve

☐ Do Not Approve

□N/A

Approved as to

Form:

⊠Yes

□No

 $\square N/A$ 

**SNOHOMISH COUNTY COUNCIL** 

EXHIBIT # \_\_\_\_\_\_3.2.002

FILE ORD 25-057

Exhibit 3.2.002

Planning and Community Development Committee – 10/21/25

Video



# Snohomish County Council Planning and Community Development Committee Agenda

Nate Nehring, Committee Chair Strom Peterson, Committee Vice-Chair Committee Members: Sam Low, Megan Dunn, Jared Mead

> Ryan Hembree, Legislative Analyst Russell Wiita, Legislative Aide Lisa Hickey, Assistant Clerk of the Council

Tuesday, October 21, 2025

11:00 AM

Jackson Board Room - 8th Floor Robert J. Drewel Building & Remote Meeting

Webinar Link: https://zoom.us/j/94846850772

Attend in person at 3000 Rockefeller Ave, Jackson Board Room, 8th Floor, Everett, WA Join remotely using the Zoom link above or call 1-253-215-8782 or 1-206-337-9723 and enter Meeting ID 948-4685 0772

**CALL TO ORDER** 

**ROLL CALL** 

**PUBLIC COMMENT** 

### **ACTION ITEMS**

1. Ordinance 25-056, relating to Growth Management; concerning 2025-3125 Class IV-General Forest Practices Permit Application extensions; amending SCC Table 30.70.140(1) and SCC 30.86.505

Proposed Action: Move to General Legislative Session on October 29th to set time and date for a public hearing.

2. Ordinance 25-057, relating to Growth Management; revising 2025-3126 regulations concerning Urban Residential Development; amending Chapters 30.23, 30.23a, and 30.91s of the Snohomish County Code

Proposed Action: Move to General Legislative Session on October 29th to set time and date for a public hearing.

3. Ordinance 25-068, amending Snohomish County Code Chapter 2025-3279
30.66a - Park and Recreation Facility Impact Mitigation to correct table heading in Impact Fee Schedule

Proposed Action: Move to General Legislative Session on October 29th to set time and date for a public hearing.

4. Motion 25-430, authorizing Shorelands Northwest Straits Grant 2025-3029
Agreement with Department of Ecology for Snohomish County to fund the Marine Resources Committee

Proposed Action: Move to General Legislative Session October 22nd for consideration.

### **DISCUSSION ITEMS**

 Ordinance 25-053, amending Chapter 25.20 of the Snohomish County Code relating to Storm and Surface Water Management Service Charge Credits

\*For discussion only Time and date for a public hearing has been set for Ordinance 25-053 on November 12, 2025 at the hour of 10:30 a.m.

2. 2025 Fair Briefing
Mike Ohlsen, Parks & Recreation
Kara Underwood, Parks & Recreation

2025-3342



# Snohomish County Council Planning and Community Development Committee Meeting Minutes

Nate Nehring, Committee Chair Strom Peterson, Committee Vice-Chair Committee Members: Sam Low, Megan Dunn, Jared Mead

> Ryan Hembree, Legislative Analyst Russell Wiita, Legislative Aide Lisa Hickey, Assistant Clerk of the Council

Tuesday, October 21, 2025

11:00 AM

Jackson Board Room - 8th Floor Robert J. Drewel Building & Remote Meeting

### PRESENT:

Committee Chair Nehring
Committee Vice-Chair Peterson (remote)
Committee Member Low (not present)
Committee Member Dunn
Committee Member Mead (not present)
Ryan Hembree, Council Staff
Tom Teigen, DCNR Director
Mike Ohlsen, Parks & Recreation
Kara Underwood, Parks & Recreation
Lisa Hickey, Assistant Clerk of the Council

### **CALL TO ORDER**

Committee Chair Nehring called the meeting to order at 11:00 a.m.

### **ROLL CALL**

The clerk called the roll and stated that three members were present.

### **PUBLIC COMMENT**

There were no persons present wishing to provide public comment.

### **ACTION ITEMS**

Ryan Hembree, Legislative Analyst, provided a staff report for the following items:

 Ordinance 25-056, relating to Growth Management; concerning Class IV-General Forest Practices Permit Application extensions; amending SCC Table 30.70.140(1) and SCC 30.86.505 2025-3125

**ACTION:** Move to Administrative Matters, General Legislative Session October 29th to set time and date for a public hearing.

2. Ordinance 25-057, relating to Growth Management; revising regulations concerning Urban Residential Development; amending Chapters 30.23, 30.23a, and 30.91s of the Snohomish County Code

**2025-3126** 

**ACTION:** Move to Administrative Matters, General Legislative Session October 29th to set time and date for a public hearing.

3. Ordinance 25-068, amending Snohomish County Code Chapter 30.66a - Park and Recreation Facility Impact Mitigation to correct table heading in Impact Fee Schedule

2025-3279

**ACTION:** Move to Administrative Matters, General Legislative Session October 29th to set time and date for a public hearing.

**4.** Motion 25-430, authorizing Shorelands Northwest Straits Grant Agreement with Department of Ecology for Snohomish County to fund the Marine Resources Committee

**2025-3029** 

**ACTION:** Move to Consent Agenda, General Legislative Session October 22nd for consideration.

### **DISCUSSION ITEMS**

1. Ordinance 25-053, amending Chapter 25.20 of the Snohomish County Code relating to Storm and Surface Water Management Service Charge Credits

**2025-2977** 

Ryan Hembree, Legislative Analyst, provided a staff report.

\*For discussion only

Time and date for a public hearing has been set for Ordinance 25-053 on November 12, 2025 at the hour of 10:30 a.m.

2. 2025 Fair Briefing
Mike Ohlsen, Parks & Recreation
Kara Underwood, Parks & Recreation

2025-3342

Tom Teigen, DCNR Director, Mike Ohlsen and Kara Underwood, Parks & Recreation, provided a PowerPoint presentation and responded to questions.

Council adjourned for the day at 11:32 a.m.