

# CHANGE ORDER

<input checked="" type="checkbox"/> <b>ORDERED BY ENGINEER UNDER SECTION 1-04.4 OF THE STANDARD SPECIFICATIONS.</b> <input type="checkbox"/> <b>CHANGE PROPOSED BY CONTRACTOR</b>	<b>PROJECT IDENTIFICATION</b> <b>PROJECT NAME:</b> 36 <sup>th</sup> Avenue W & 35 <sup>th</sup> Avenue W, 164 <sup>th</sup> St SW to SR 99 <b>PROJECT NUMBER:</b> RC1783, RC1784, RR6337, RR6342, UPI 06-0014 Fed Aid #: STBGUL-2585(001)
<b>CONTRACTOR ENDORSEMENT:</b> <div style="display: flex; align-items: center;"> <div style="flex: 1;"> <p><b>Kenton Wilde</b></p> <p style="text-align: center;">SIGNATURE</p> <p>Vice President</p> <p style="text-align: center;">TITLE</p> </div> <div style="flex: 0.5; font-size: 8px; border: 1px solid black; padding: 2px;">         Digitally signed by Kenton Wilde          DN: C=US, E=kenton@marshbankconst.com, O=Marshbank Construction Inc, CN=Kenton Wilde          Date: 2025.04.23 07:53:55-0700'       </div> <div style="flex: 1;"> <p style="text-align: center;">DATE</p> </div> </div>	<b>CONTRACTOR:</b> Marshbank Construction, Inc.  <b>ADDRESS:</b> PO Box 97 3304 Old Hartford Rd Lake Stevens, WA 98258

In consideration of Section 1-04.4 of the Standard Specification, make the following revisions to the contract:

**Description**

This Change Order compensates the Contractor for removing and replacing existing storm drainage pipe runs and catch basins from Station 94+00 to 110+30 and as shown on revised plan sheets DR05 through DR07. Prior to removal, the Contractor shall record existing rim and invert at existing catch basins and reinstall the new storm drainage to match the existing invert elevations and pipe run slopes.

Removing Drainage Structure and Removing Existing Pipe includes the removal and disposal of catch basins and storm drain pipes where new catch basins and pipes are shown on the revised plan sheets DR05 through DR07, or where designated by the Engineer.

**RC1784, Group 2**

- Increase item #9 "Gravel Borrow" in the amount of 1020 tons.
- Increase item #15 "Catch Basin Type 1" in the amount of 12 each.
- Increase item #20 "Ductile Iron Storm Sewer Pipe, 12 In. Diam." in the amount of 502 linear feet.
- Increase item #24 "Connection to Existing Drainage Pipe" in the amount of 21 each.
- Increase item #62 "Crushed Surfacing Base Course" in the amount of 290 tons.
- Increase item #116 "Flaggers" in the amount of 210 hours.

ORIGINAL CONTRACT AMOUNT	CURRENT CONTRACT AMOUNT	ESTIMATED NET CHANGE THIS ORDER	ESTIMATED CONTRACT TOTAL AFTER CHANGE
\$ 9,890,354.21	\$10,971,002.21	\$405,408.30	\$11,376,410.51
<b>APPROVAL RECOMMENDED</b> <b>Larmore, Brian</b> <small>Digitally signed by Larmore, Brian Date: 2025.04.23 10:42:52 -07'00'</small> CONSTRUCTION MANAGER DATE		<b>OTHER APPROVAL RECOMMENDED</b>	
<b>APPROVAL RECOMMENDED</b> <b>Fahning, Janice</b> <small>Digitally signed by Fahning, Janice Date: 2025.04.23 10:44:47 -07'00'</small> ENGINEERING SERVICES DIRECTOR DATE		<b>APPROVED</b>  SNOHOMISH COUNTY COUNCIL MOTION #: _____	
<b>APPROVAL RECOMMENDED</b> <b>McCormick, Douglas</b> <small>Digitally signed by McCormick, Douglas Date: 2025.04.23 11:13:14 -07'00'</small> PUBLIC WORKS DIRECTOR OR COUNTY ENGINEER DATE			
		<b>Klein, Ken</b> <small>Digitally signed by Klein, Ken Date: 2025.05.09 08:51:03 -07'00'</small> SNOHOMISH COUNTY EXECUTIVE DATE	

# CHANGE ORDER

Increase item #157 "Connection to Drainage Structure" in the amount of 1 each.  
Increase item #158 "Minor Field Changes" in the amount of \$23,000 est.  
Increase item #176 "Class II Disposal Premium Type B" in the amount of 1,560 tons.  
Increase item #190 "Corrugated Polyethylene Storm Sewer Pipe 12 In. Diam." in the amount of 824 linear feet.  
Increase item #192 "Ductile Iron Storm Sewer Pipe 18 In. Diam." in the amount of 5 linear feet.  
Increase item #193 "Removing Drainage Structure" in the amount of 14 each.  
Increase item #194 "Removing Existing Pipe" in the amount of 1331 linear feet.  
Increase item #195 "Catch Basin Type 1L" in the amount of 1 each.

## **Measurement**

Existing contract items shall be measured in accordance with the existing contract.

## **Payment**

Existing contract items shall be paid in accordance with the existing contract except for the following:

Bid Item 158 "Minor Field Changes" will be used to compensate the Contractor in accordance with Section 1-09.6 for a Vector Truck and Operator when used to assist in excavating the drainage structures. The associated travel times and dump fees will be included with the force account payments.

## **Contract Time**


No workings days will be added to the Contract Time with this Change Order. Upon evaluation of the project schedule, additional working days will be considered and may be added in a future change order.



Existing GREEN LINE = 12" CMP  
 Existing BLUE LINE = 18" CMP

**Ductile Replacement**  
 = Replace Existing Type  
 = Replace Existing Type  
 MAINTAIN EXISTING ELEVATIONS FOR REPLACEMENT PIPE AND STRUCTURES

SECTION 3, T. 27 N, R. 4 E., W.M.



DRAINAGE NOTES

- 1 CONSTRUCT CATCH BASIN TYPE 1 PER WSDOT STD. PLAN B-50.20.
- 2 CONSTRUCT CATCH BASIN TYPE 2 48 IN. DIAM. PER WSDOT STD. PLAN B-10.20.
- 3 CONSTRUCT CATCH BASIN TYPE 2 72 IN. DIAM. WITH FLOW CONTROL STRUCTURE PER SNOHOMISH COUNTY EDDS STD. DWG. 5-100, 5-270A, 5-270B AND 5-275. SEE SHEET D001 FOR ADDITIONAL DETAIL FOR FLOW CONTROL STRUCTURE.
- 4 INSTALL RECTANGULAR SOLID METAL COVER PER WSDOT STD. PLAN B-30.20.
- 5 INSTALL SOLID ROUND LID PER SNOHOMISH COUNTY EDDS STD. DWG. 5-230.
- 6 INSTALL RECTANGULAR VANED GRATE PER WSDOT STD. PLAN B-30.30.
- 7 CONSTRUCT CONCRETE INLET PER WSDOT STD. PLAN B-25.60.
- 8 CONSTRUCT SOLID WALL PVC STORM SEWER PIPE 12 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 9 CONSTRUCT SOLID WALL PVC STORM SEWER PIPE 18 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 10 CONNECT TO EXISTING DRAINAGE PIPE.
- 11 CONNECT TO DRAINAGE STRUCTURE.
- 12 CONSTRUCT BIORETENTION WATER QUALITY VAULT PER DETAIL ON SHEET D003.
- 13 CONSTRUCT CATCH BASIN TYPE 2 54 IN. DIAM. WITH DEBRIS CAGE PER WSDOT STD. PLAN B-10.20 AND SNOHOMISH COUNTY EDDS STD. DWG. 5-245.
- 14 CONSTRUCT DETENTION POND PER DETAIL ON SHEET D001.
- 15 ADJUST CATCH BASIN TO GRADE.
- 16 ROTATE LID TO PLACE GRADE IN GUTTER LINE.
- 17 CONSTRUCT 6 IN. DIAM. CLEANOUT PER WSDOT STD. PLAN B-65.40. CLEANOUT DETAIL TO SUBSTITUTE 8 IN. DIAM. PIPE WITH 4 IN. DIAM. PIPE.
- 18 CONSTRUCT DRAIN PIPE 6 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 19 REMOVE EXISTING DRAINAGE PIPE.
- 20 REMOVE DRAINAGE STRUCTURE.
- 21 INSTALL DEBRIS BARRIER PER SNOHOMISH COUNTY EDDS STD. DWG. 5-090.
- 22 CONSTRUCT BEVELED END SECTIONS PER WSDOT STD. PLAN B-70.20.
- 23 CONSTRUCT STORM PIPE INLET/OUTFALL PROTECTION PER DETAIL ON SHEET D002.
- 24 CONNECT PROPOSED STORM DRAIN PIPE TO EXISTING STORM DRAIN PIPE PER WSDOT STD. PLAN B-40.20.
- 25 CONSTRUCT DUCTILE IRON STORM SEWER PIPE 12 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 26 CONSTRUCT CATCH BASIN TYPE 2 54 IN. DIAM. PER WSDOT STD. PLAN B-10.20.
- 27 CONTRACTOR TO FIELD VERIFY INVERT ELEVATION.
- 28 CONSTRUCT CATCH BASIN TYPE 2 72 IN. DIAM. PER WSDOT STD. PLAN B-10.20.

GENERAL NOTES

1. SEE DRAINAGE PROFILE SHEETS SD01-SD06 FOR ADDITIONAL DRAINAGE STRUCTURE AND PIPE INFORMATION.
2. ALL DRAINAGE STRUCTURES ARE LOCATED BY STATION AND OFFSET OF CENTER OF STRUCTURE. CONTRACTOR TO ADJUST STRUCTURES TO FINAL GRADE.
3. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ENSURE THAT NO CONFLICTS EXIST BETWEEN STORM DRAINAGE FACILITIES AND PROPOSED OR EXISTING UTILITIES PRIOR TO CONSTRUCTION.
4. SEE SPECIAL PROVISIONS FOR POT HOLE DATA.
5. WHERE THE VERTICAL DISTANCE BETWEEN UTILITIES IS LESS THAN 6 INCHES, THE CONTRACTOR SHALL PROVIDE AN O.D. X O.D. X 2.5 INCH ETHAFOAM PAD.
6. CENTERLINE TO CURB DIMENSIONS ARE TO FACE OF CURB.

Sep 01, 2023 - 3:01 pm oia PULL WINDOWN 03040403DITOWG2SheetTitle0001.LYN00013.dwg Layout Name: DR05

CHANGE ORDER #11 4/1/2025 Page 3 of 5
---



UPI NO: 08-0014  
 SURVEY NO: SNA158  
 PROJ. DATUM: NAVD83  
 PROJECT: DESIGNED BY: N. WONG  
 FED. AID PROJ. NO: STBCJL 2585(001)  
 FIELD BOOK(S): ###  
 VERT. DATUM: NAVD83  
 DRAWN BY: O. AHRENSFELD



REVIEWED AND APPROVED FOR CONSTRUCTION  
 DAVID EVANS  
 SNOHOMISH COUNTY ENGINEER  
 1440 28th Street, Suite 400  
 Everett, WA 98201  
 Phone: 425.835.6500  
 DATE APPROVED: 9/8/2023

SNOHOMISH COUNTY  
 DEPARTMENT OF  
 PUBLIC WORKS  
 FUNDING NO: RC1783, RC1784, RB3337, RB3632

36TH AVE W & 35TH AVE W  
 164TH ST. SW TO SR 99  
 STA 89+50 TO 98+50  
 DRAINAGE PLAN

REFERENCE SHEET NO: DR05  
 SHEET 74 OF 163 SHEETS


Existing GREEN LINE = 12" CMP  
 Existing BLUE LINE = 18" CMP

Ductile  
 Replace

Replace - Existing Type  
 Replace - Existing Type

MANTAIN EXISTING ELEVATIONS FOR REPLACEMENT PIPE AND STRUCTURES

SECTION 3, T. 27 N, R. 4 E., W.M.



DRAINAGE NOTES

- 1 CONSTRUCT CATCH BASIN TYPE 1 PER WSDOT STD. PLAN B-50.20.
- 2 CONSTRUCT CATCH BASIN TYPE 2 48 IN. DIAM. PER WSDOT STD. PLAN B-10.20.
- 3 CONSTRUCT CATCH BASIN TYPE 2 72 IN. DIAM. WITH FLOW CONTROL STRUCTURE PER SNOHOMISH COUNTY EDDS STD. DWG. 5-101, 5-270A, 5-270B AND 5-275. SEE SHEET D001 FOR ADDITIONAL DETAIL FOR FLOW CONTROL STRUCTURE.
- 4 INSTALL RECTANGULAR SOLID METAL COVER PER WSDOT STD. PLAN B-30.20.
- 5 INSTALL SOLID ROUND LID PER SNOHOMISH COUNTY EDDS STD. DWG. 5-230.
- 6 INSTALL RECTANGULAR VANED GRATE PER WSDOT STD. PLAN B-30.30.
- 7 CONSTRUCT CONCRETE INLET PER WSDOT STD. PLAN B-25.60.
- 8 CONSTRUCT SOLID WALL PVC STORM SEWER PIPE 12 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 9 CONSTRUCT SOLID WALL PVC STORM SEWER PIPE 18 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 10 CONNECT TO EXISTING DRAINAGE PIPE.
- 11 CONNECT TO DRAINAGE STRUCTURE.
- 12 CONSTRUCT BIORETENTION WATER QUALITY VAULT PER DETAIL ON SHEET D003.
- 13 CONSTRUCT CATCH BASIN TYPE 2 54 IN. DIAM. WITH DEBRIS CAGE PER WSDOT STD. PLAN B-10.20 AND SNOHOMISH COUNTY EDDS STD. DWG. 5-245.
- 14 CONSTRUCT DETENTION POND PER DETAIL ON SHEET D001.
- 15 ADJUST CATCH BASIN TO GRADE.
- 16 ROTATE LID TO PLACE GRATE IN GUTTER LINE.
- 17 CONSTRUCT 6 IN. DIAM. CLEANOUT PER WSDOT STD. PLAN B-85.40. CLEANOUT DETAIL TO SUBSTITUTE 8 IN. DIAM. PIPE WITH 4 IN. DIAM. PIPE.
- 18 CONSTRUCT DRAIN PIPE 6 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 19 REMOVE EXISTING DRAINAGE PIPE.
- 20 REMOVE DRAINAGE STRUCTURE.
- 21 INSTALL DEBRIS BARRIER PER SNOHOMISH COUNTY EDDS STD. DWG. 5-090.
- 22 CONSTRUCT BEVELED END SECTIONS PER WSDOT STD. PLAN B-70.20.
- 23 CONSTRUCT STORM PIPE INLET/OUTFALL PROTECTION PER DETAIL ON SHEET D002.
- 24 CONNECT PROPOSED STORM DRAIN PIPE TO EXISTING STORM DRAIN PIPE PER WSDOT STD. PLAN B-40.20.
- 25 CONSTRUCT DUCTILE IRON STORM SEWER PIPE 12 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 26 CONSTRUCT CATCH BASIN TYPE 2 54 IN. DIAM. PER WSDOT STD. PLAN B-10.20.
- 27 CONTRACTOR TO FIELD VERIFY INVERT ELEVATION.
- 28 CONSTRUCT CATCH BASIN TYPE 2 72 IN. DIAM. PER WSDOT STD. PLAN B-10.20.

GENERAL NOTES

1. SEE DRAINAGE PROFILE SHEETS S001-S006 FOR ADDITIONAL DRAINAGE STRUCTURE AND PIPE INFORMATION.
2. ALL DRAINAGE STRUCTURES ARE LOCATED BY STATION AND OFFSET OF CENTER OF STRUCTURE. CONTRACTOR TO ADJUST STRUCTURES TO FINAL GRADE.
3. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ENSURE THAT NO CONFLICTS EXIST BETWEEN STORM DRAINAGE FACILITIES AND PROPOSED OR EXISTING UTILITIES PRIOR TO CONSTRUCTION.
4. SEE SPECIAL PROVISIONS FOR POTHOLE DATA.
5. WHERE THE VERTICAL DISTANCE BETWEEN UTILITIES IS LESS THAN 6 INCHES, THE CONTRACTOR SHALL PROVIDE AN O.D. X O.D. X 2.5 INCH ETHAFOAM PAD.
6. CENTERLINE TO CURB DIMENSIONS ARE TO FACE OF CURB.

Sep 01, 2023 - 3:01 pm oia PULL:\VND0001\0406\CA\DTT\DWG\Sheet\DR06\LY\NND013.dwg Layout Name: DR06

CHANGE ORDER #11	4/1/2025	Page 4 of 5
DATE	NO.	REVISION



UPI NO: 08-0014  
 SURVEY NO.: SNA158  
 PROJ. DATUM: NAVD83  
 PROJECT: PROJECT  
 DESIGNED BY: N. WONG  
 DRAWN BY: O. AHRENSFELD



REVIEWED AND APPROVED FOR CONSTRUCTION  
 DAVID EVANS  
 REGISTERED PROFESSIONAL ENGINEER  
 SNOHOMISH COUNTY ENGINEER  
 9/8/2023  
 DATE APPROVED:

SNOHOMISH COUNTY  
 DEPARTMENT OF  
 PUBLIC WORKS

36TH AVE W & 35TH AVE W  
 164TH ST. SW TO SR 99  
 STA 98+50 TO 107+50  
 DRAINAGE PLAN

REFERENCE SHEET NO. DR06  
 SHEET 75 OF 163 SHEETS


Existing GREEN LINE = 12" CMP  
 Existing BLUE LINE = 18" CMP

**Ductile Replacement**

■ Replace Existing Type 1 CB  
■ Replace Existing Type 1L CB

MAINTAIN EXISTING ELEVATIONS FOR REPLACEMENT PIPE AND STRUCTURES

SECTION 3, T. 27 N, R. 4 E, W.M.



**DRAINAGE NOTES**

- 1 CONSTRUCT CATCH BASIN TYPE 1 PER WSDOT STD. PLAN B-05.20.
- 2 CONSTRUCT CATCH BASIN TYPE 2 48 IN. DIAM. PER WSDOT STD. PLAN B-10.20.
- 3 CONSTRUCT CATCH BASIN TYPE 2 72 IN. DIAM. WITH FLOW CONTROL STRUCTURE PER SNOHOMISH COUNTY EDDS STD. DWG. 5-101, 5-279A, 5-279B AND 5-279. SEE SHEET D001 FOR ADDITIONAL DETAIL FOR FLOW CONTROL STRUCTURE.
- 4 INSTALL RECTANGULAR SOLID METAL COVER PER WSDOT STD. PLAN B-30.20.
- 5 INSTALL SOLID ROUND LID PER SNOHOMISH COUNTY EDDS STD. DWG. 5-230.
- 6 INSTALL RECTANGULAR VANED GRATE PER WSDOT STD. PLAN B-30.30.
- 7 CONSTRUCT CONCRETE INLET PER WSDOT STD. PLAN B-25.60.
- 8 CONSTRUCT SOLID WALL PVC STORM SEWER PIPE 12 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 9 CONSTRUCT SOLID WALL PVC STORM SEWER PIPE 18 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 10 CONNECT TO EXISTING DRAINAGE PIPE.
- 11 CONNECT TO DRAINAGE STRUCTURE.
- 12 CONSTRUCT BIORETENTION WATER QUALITY VAULT PER DETAIL ON SHEET D003.
- 13 CONSTRUCT CATCH BASIN TYPE 2 54 IN. DIAM. WITH DEBRIS CAGE PER WSDOT STD. PLAN B-10.20 AND SNOHOMISH COUNTY EDDS STD. DWG. 5-245.
- 14 CONSTRUCT DETENTION POND PER DETAIL ON SHEET D001.
- 15 ADJUST CATCH BASIN TO GRADE.
- 16 ROTATE LID TO PLACE GRATE IN GUTTER LINE.
- 17 CONSTRUCT 6 IN. DIAM. CLEANOUT PER WSDOT STD. PLAN B-65.40. CLEANOUT DETAIL TO SUBSTITUTE 8 IN. DIAM. PIPE WITH 4 IN. DIAM. PIPE.
- 18 CONSTRUCT DRAIN PIPE 6 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 19 REMOVE EXISTING DRAINAGE PIPE.
- 20 REMOVE DRAINAGE STRUCTURE.
- 21 INSTALL DEBRIS BARRIER PER SNOHOMISH COUNTY EDDS STD. DWG. 5-090.
- 22 CONSTRUCT BEVELED END SECTIONS PER WSDOT STD. PLAN B-70.20.
- 23 CONSTRUCT STORM PIPE INLET/OUTFALL PROTECTION PER DETAIL ON SHEET D002.
- 24 CONSTRUCT PROPOSED STORM DRAIN PIPE TO EXISTING STORM DRAIN PIPE PER WSDOT STD. PLAN B-60.20.
- 25 CONSTRUCT DUCTILE IRON STORM SEWER PIPE 12 IN. DIAM. PIPE ZONE BEDDING AND BACKFILL PER WSDOT STD. PLAN B-55.20.
- 26 CONSTRUCT CATCH BASIN TYPE 2 54 IN. DIAM. PER WSDOT STD. PLAN B-10.20.
- 27 CONTRACTOR TO FIELD VERIFY INVERT ELEVATION.
- 28 CONSTRUCT CATCH BASIN TYPE 2 72 IN. DIAM. PER WSDOT STD. PLAN B-10.20.

**GENERAL NOTES**

1. SEE DRAINAGE PROFILE SHEETS SD01-SD06 FOR ADDITIONAL DRAINAGE STRUCTURE AND PIPE INFORMATION.
2. ALL DRAINAGE STRUCTURES ARE LOCATED BY STATION AND OFFSET FROM CENTER OF STRUCTURE. CONTRACTOR TO ADJUST STRUCTURES TO FINAL GRADE.
3. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ENSURE THAT NO CONFLICTS EXIST BETWEEN STORM DRAINAGE FACILITIES AND PROPOSED OR EXISTING UTILITIES PRIOR TO CONSTRUCTION.
4. SEE SPECIAL PROVISIONS FOR POT HOLE DATA.
5. WHERE THE VERTICAL DISTANCE BETWEEN UTILITIES IS LESS THAN 6-INCHES, THE CONTRACTOR SHALL PROVIDE AN O.D. X 2.5 INCH ETHAFOAM PAD.
6. CENTERLINE TO CURB DIMENSIONS ARE TO FACE OF CURB.



CHANGE ORDER #11	
4/1/2025	
Page 5 of 5	
DATE	REVISION

**811**

Now when below. Call 811 before you dig.

UPI NO: 05-0014  
 SURVEY NO: SNA158  
 PROJ. DATUM: NAVD83  
 PROJECT: 36TH AVE W & 148TH ST SW  
 DESIGNED BY: N. WONG  
 DRAWN BY: O. AHRENSFELD

FED. AID PROJ. NO: STBCUL 2585(001)  
 FIELD BOOK(S): ###

VERT. DATUM: NAVD83  
 PROJECT: 36TH AVE W & 148TH ST SW  
 DRAWN BY: O. AHRENSFELD



REVIEWED AND APPROVED FOR CONSTRUCTION

*David Evans*  
 DAVID EVANS  
 SNOHOMISH COUNTY ENGINEER  
 14430 28th Avenue SW, Suite 600  
 Everett, WA 98201  
 Phone: 425.933.0500

DATE APPROVED: 9/8/2025

**SNOHOMISH COUNTY DEPARTMENT OF PUBLIC WORKS**

FUNDING NO: RC1783, RC1784, RB3537, RB3632

**36TH AVE W & 35TH AVE W**  
 164TH ST. SW TO SR 99  
 STA. 107+50 TO 113+50  
 DRAINAGE PLAN

REFERENCE SHEET NO:	D007
SHEET	76
OF	163
SHEETS	

Sep 01, 2023 - 3:02pm oia PULL\YVND001\3040CAD\T11000\DWG\Sheet\T110001.dwg Layout Name: DR07